Overview


## **HP ProLiant DL180 Generation9 (Gen9)**

The new standard for growing data center needs. Delivering an optimized 2U server, designed with the right balance of expandability, performance, reliability, and manageability—all in a new compact chassis. The ideal platform for SMBs and enterprises running applications, which need the right mix of compute and storage.



#### **Front View**

- 1. Access Panel (Top Cover)
- 2. Power On/Standby button and system power LED
- 3. Health LED
- 4. NIC status LED
- UID button/LED
- 6. USB 2.0 connector
- 7. Serial label pull tab
- 8. Fixed 8-bay SFF drive cage (box 3)
- 8-bay SFF drive cage bay (box 2, for the second 8-bay SFF drive cage option)
- 10. HP Media Bay (box 1, for the optical drive cage option)




## **Rear view**

- 1. PCIe3 slots 1-3 (primary, associated with processor 1)
- 2. PCIe3 slots 4-6 (secondary, associated with processor 2)
- 3. Power Supply 2 LED (Optional)
- 4. Power Supply 2 Power Connector (Optional)
  - **NOTE:** RPS shown in the picture.
- 5. Power Supply 1 LED (Optional)

## Overview

- 6. Power Supply 1 Power Connector (Optional)
- 7. NIC connectors
- 8. UID LED
- 9. Video Connector
- 10. USB 3.0 Connectors
- 11. Dedicated iLO connector (optional)



## **Internal View**

- Fan cage shown with 5 Hot-swap fans (for 2P Redundancy)
- 2. 2 Processors, heatsink showing, with HP Smart Socket Guide
- 3. DDR4 DIMM slots. Shown fully populated in 16 slots (8 per processor)
- 4. Optional HP Smart Storage Battery
- 5. Entry level power supply bay (1x900W shown)

  NOTE: RPS (with one module) shown in the picture above.
- Connection for second (optional) riser (Required second CPU)
- 7. Embedded 2x1GbE NIC
- 8. Flexible LOM sideband signal connector
- 9. Primary PCIe riser, standard
- 10. Dedicated iLO module connector
- 11. MicroSD card slot
- 12. SATA optical drive connector
- 13. Internal USB 3.0 connector (for USB flash devices)

## Standard Features

**NOTE:** For more information regarding Intel Xeon processors, please see the following http://www.intel.com/xeon.

**Processor** One of the following depending on model

| Model      | CPU       | Cores | L3 Cache | Power | QPI     | DDR4 Hz |
|------------|-----------|-------|----------|-------|---------|---------|
|            | frequency |       |          |       |         |         |
| E5-2660v3  | 2.6GHz    | 10    | 25MB     | 105W  | 9.6GT/s | 2133    |
| E5-2650v3  | 2.3GHz    | 10    | 25MB     | 105W  | 9.6GT/s | 2133    |
| E5-2650Lv3 | 1.8GHz    | 12    | 30MB     | 65W   | 9.6GT/s | 2133    |
| E5-2640v3  | 2.6GHz    | 8     | 20MB     | 90W   | 8.0GT/s | 1866    |
| E5-2630v3  | 2.4Ghz    | 8     | 20MB     | 85W   | 8.0GT/s | 1866    |
| E5-2630Lv3 | 1.8GHz    | 8     | 20MB     | 55W   | 8.0GT/s | 1866    |
| E5-2623v3  | 3.0GHz    | 4     | 10MB     | 105W  | 8.0GT/s | 1866    |
| E5-2620v3  | 2.4GHz    | 6     | 15MB     | 85W   | 8.0GT/s | 1866    |
| E5-2609v3  | 1.9GHz    | 6     | 15MB     | 85W   | 6.4GT/s | 1600    |
| E5-2603v3  | 1.6GHz    | 6     | 15MB     | 85W   | 6.4GT/s | 1600    |

Chipset

Intel® C610 Series Chipset

One of the following Intel® E5-2600v3 Processor Family

depending on model **NOTE:** For more information regarding Intel chipsets, please see the following URL:

http://www.intel.com/products/server/chipsets/.

On System Management

HP iLO (Firmware HP iLO4 2.0) 2GB NAND

Chipset

NOTE: For more information visit: http://www.hp.com/go/ilo.

One of the following depending on model

Memory

Type:

One of the following HP SmartMemory

depending on

DDR4 Registered (RDIMM) or Load Reduced (LRDIMM)

model

**DIMM Slots Available** 16 (8 DIMM slots per processor, 4 channels per processor, 2 DIMMs

per channel)

**Maximum Capacity** 

512GB

(16 x 32GB LRDIMM @2133MHz)

(LRDIMM)

512GB (16 x 32GB RDIMM @2133MHz)

**Maximum Capacity** (RDIMM)

**Memory Protection** Advanced ECC

depending on model Online spare

One of the following

Advanced ECC uses single device data correction to detect and correct

single and all multibit error that occurs within a single DRAM chip.

Memory online spare mode detects a rank that is degrading and switches

operation to the spare rank.

Network Controller HP 1Gb 361i Ethernet Adapter

One of the following depending on model

## **Expansion Slots**

Notes

Form Factor

Bus

## QuickSpecs

## Standard Features

**Primary Riser** 

| (Optional)                              | Slots #           | recliniology                     | Dus Wiutii   | Width                       | Number        | i oi iii i actoi                                    | Hotes                             |
|---|-------------------|----------------------------------|--------------|-----------------------------|---------------|---|-----------------------------------|
|   | 1                 | PCIe 3.0                         | x8           | x8                          |               | Full-height, full-<br>length slot                   |                                   |
|   | 2                 | PCIe 3.0                         | <b>8</b> x   | x8                          |               | Full-height, half-<br>length slot                   |                                   |
|   | 3                 | PCIe 3.0                         | x8           | x8                          |               | Full-height, half-<br>length slot                   |                                   |
|   | <b>NOTE:</b> Bus  | Width data in                    | dicates the  | number of p                 | hysical elect | rical lanes running to                              | the connector.                    |
| Primary Riser<br>(Optional)             | Expansion Slots # | Technology                       | Bus Width    | Connector<br>Width          | Bus<br>Number | Form Factor   | Notes                             |
|   | 1                 | PCIe 3.0                         | x16          | x16                         |               | Full-height, full-<br>length slot                   |                                   |
|   | 2                 | PCIe 3.0                         | x8           | x8                          |               | Full-height, half-<br>length slot                   |                                   |
| Riser with Flexible<br>LOM              | Expansion Slots # | Technology                       | Bus Width    | Connector<br>Width          | Bus<br>Number | Form Factor   | Notes                             |
| (Optional)                              | 1                 | PCIe 3.0                         | x8           | x8                          |               | Full-height, full-<br>length slot                   |                                   |
|   | 2                 | PCIe 3.0                         | x8           | x8                          |               | Full-height, half-<br>length slot                   |                                   |
|   | 3                 | Flexible LOM                     |              |                             |               | Full-height, half-<br>length slot                   | Can only be used for flexibleLOMs |
|   |                   |                                  |              |                             |               | nas to be installed in P<br>essor must be installed |                                   |
| Storage Controller                      | Entry Mode        | els HP                           | Dynamic S    | mart Array B                | 140i Control  | ler   |                                   |
| One of the following depending on model | HOIL. FIO         | vides support<br>rts RAID 0, 1 8 | •            | SATA drives                 | and data tra  | ansmission speeds up                                | to 6Gb/s                          |
| model                                   | Base Mode         |                                  | -            | mart Array B<br>mart Host B |               | ler   |                                   |
|   | NOTF: H24         |                                  |              |                             | •             | ata transmission spee                               | ds un to                          |
|   |                   |                                  | pport for up | יור ורשר ה היי              | urives, ut    | ata transmission spee                               | as ap to                          |

Expansion Technology Bus Width Connector

| Internal | Storage |
|----------|---------|
| Devices  |         |

One of the following Hard Drives depending on **Hard Drive Bays** model

**Optical Drives** 

Storage Models

12Gb/s.

12Gb/s.

12Gb/s and supports RAID 0, 1 & 5.

Optional: DVD-ROM, DVD-RW

Performance Models HP Flexible Smart Array P840/4G FIO Controller

**NOTE:** This option available with all 8SFF drive bay models only.

None ship standard

8 SFF drive bays total with Optical Bay

Optional: +8SFF drive bay (total of 16SFF drive bays)

HP Flexible Smart Array P840/4G FIO Controller NOTE: P840 Provides support for up to 16 SAS/SATA drives, data transmission speeds up to

**NOTE:** P840 Provides support for up to 16 SAS/SATA drives, data transmission speeds up to

NOTE: The Optical Drive bay is not available with +8SFF drive bay optional

upgrade.

8 LFF drive bays total without Optical Bay

**NOTE:** Optical drive is not supported on LFF Models.

12 LFF drive bays total without Optical Bay Up to 4 Non-hot plug SATA 3.5" drives

## Standard Features

| Maximum Internal      |                       | CAPACITY | CONFIGURATION                     |
|-----------------------|-----------------------|----------|-----------------------------------|
| Storage               | Hot Plug SFF SAS      | 32TB     | 16x2TB (with 16SFF drive cage)    |
| One of the following  | Hot Plug SFF SATA     | 32TB     | 16x2TB (with 16SFF drive cage)    |
| depending on<br>model | Hot Plug LFF SAS      | 96.0TB   | 12x8TB (with 12LFF drive cage)    |
| mouet                 | Hot Plug LFF SATA     | 96.0TB   | 12x8TB (with 12LFF drive cage)    |
|                       | Hot Plug SFF SAS SSD  | 30.7TB   | 16x1.92TB (with 16SFF drive cage) |
|                       | Hot Plug SFF SATA SSD | 25.6TB   | 16x1.6TB (with 16SFF drive cage)  |
|                       | Hot Plug LFF SATA SSD | 19.2TB   | 12x1.6TB (with 12LFF drive cage)  |
|                       | Non-Hot Plug LFF SATA | 32TB     | 8x4TB (with 8LFF drive cage)      |
|                       |                       |          |                                   |

## **Power Supply**

**HP 550W FIO Power Supply** 

One of the following HP 800W/900W Gold AC Power Input Module

depending on model HP Entry-Level Power Supplies provide lower-cost options for customers trying to balance their need for enterprise class efficiency and reliability while maintaining lowest possible hardware costs. All Entry-Level power supply options have been designed specifically for HP ProLiant Gen9 Essential Series servers.

> The HP 550W FIO Power Supply is the standard, non-redundant AC power supply option for most HP ProLiant Gen9 Essential servers. It features Silver-level (89%) certified power efficiency with a set of features optimized for the Gen9 Essential-series rack and tower servers.

All pre-configured servers ship with a standard 6-foot IEC C-13/C-14 jumper cord (A0K02A). This jumper cord is also included with each standard AC power supply option kit. If a different power cord is required, please check the ProLiant Power Cables web page.

To review the power requirements for your selected system, please use the HP Power Advisor Tool located at http://www.hp.com/go/hppoweradvisor.

Power specifications and technical content for all HP Server power supplies can be found at http://www.hp.com/go/proliant/powersupply.

| System Fans                   | Non-redundant | Redundant |
|-------------------------------|---------------|-----------|
| One of the following 1P model | 2 fans        | 4 fans    |
| depending on model            | Non-redundant | Redundant |
| 2D model                      | 4 fanc        | 5 fanc    |

NOTE: Customers may separately purchase redundant fans with the 725571-B21 option kit. Additional fans (two) are also included in -B21 processor option kits when upgrading from one processor to two processors.

#### Interfaces

Video 1 (Vaux Support) **LOM Network Ports** 2x1GbE ports **HP iLO Remote Management** 1 GbE (Optional)

**Network Port** 

SD Slot 1 Micro SD

NOTE: The SD slot is not a hot-pluggable device. Customers should not attempt to plug an SD card into the SD slot while the server is powered.

**USB** Up to 4 USB ports (standard);

Front: 1xUSB 2.0 std; (1xUSB3.0 optional upgrade with quick

release ears) Rear: 2xUSB 3.0 Internal: 1xUSB 3.0

## Standard Features

NOTE: 8LFF & 12LFF drive cage models with Quick release latch rack ears supports front USB 3.0.

and Virtualization **Software Support** for ProLiant Servers

**Operating Systems** Microsoft Windows Server Red Hat Enterprise Linux (RHEL) SUSE Linux Enterprise Server (SLES)

> Oracle Solaris **VMware**

NOTE: For more information on HP's Certified and Supported ProLiant Servers for OS and Virtualization Software and latest listing of software drivers available for your server, please visit our Support Matrix at: http://www.hp.com/go/ossupport and our driver download page http://www.hp.com/support/DL180Gen9.

Upgradeability

Upgradeable to two processors (24 cores)

One of the following Up to 16 DIMM slots available

depending on model NOTE: To take advantage of DIMMs 9-16, a second processor must be installed.

FlexibleLOM slot for 1Gigabit or 10 Gigabit Ethernet or QDR/FDR InfiniBand networking options

Optional 2 slot riser (x16, x8)

**NOTE:** To take advantage of the additional 2 PCI slot upgrade, a second processor must be installed.

Redundant Power Supply

Redundant Fan

Optical Drive (8 SFF/16 SFF only)

Compliance

**Industry Standard** ACPI 2.0b Compliant PCIe 3.0 Compliant

**PXE Support WOL Support** 

Microsoft® Logo certifications

**USB 3.0 Support** ASHRAE A3/A4

**NOTE:** Supports A3 & A4 extended ambience.

**NOTE:** Refer to technical specifications section for more details.

## **Graphics**

Integrated Matrox G200eH2 video standard

- 1280 x 1024 (32 bpp)
- 1920 x 1200 (16 bpp)

## **HP Server UEFI/Legacy ROM**

## **HP Server UEFI /Legacy ROM**

Unified Extensible Firmware Interface (UEFI) is an industry standard that provides better manageability and more secured configuration while interacting with your server at boot time. HP ProLiant Gen9 platform defaults to UEFI and can be factory or field configured for Legacy BIOS Boot Mode.

NOTE: The UEFI System Utilities function is analogous to the HP ROM-Based Setup Utility (RBSU) of legacy BIOS. For more information, please visit http://www.hp.com/go/proliantuefi/docs.

UEFI enables numerous new capabilities specific to HP ProLiant servers such as:

- Secure Boot
- Operating system specific functionality
- Support for > 2.2 TB (using GPT) boot drives
- USB 3.0 Stack

## Standard Features

- Embedded UEFI Shell
- Mass Configuration Deployment Tool using HP RESTful API.
- PXE boot support for IPv6 networks
- Boot support for option cards that only support a UEFI option ROM

For more information please visit http://www.hp.com/go/proliant/uefi.

**NOTE:** For UEFI Boot Mode, boot environment and OS image installations should be configured properly to support UEFI.

NOTE: HP Legacy FIO Mode Setting (758959-B22) can be selected to configure the system in Legacy mode in the factory.

#### **Form Factor**

2U Rack form factor

One of the following All models ship with Easy Install rails (Cable management arm optional).

depending on model 8 SFF Drive Bay Version:

3.44 (8.75 cm) Height x 17.54" (44.55 cm) Width x 23.9" (60.70 cm) Length

8 LFF Drive Bay Version:

3.44 (8.75cm) Height x 17.54" (44.55 cm) Width x 23.9" (60.70 cm) Length

12 LFF Drive Bay Version:

3.44 (8.75cm) Height x 17.54" (44.55 cm) Width x 23.9" (60.70 cm) Length

16 SFF Drive Bay Version:

3.44 (8.75 cm) Height x 17.54" (44.55 cm) Width x 23.9" (60.70 cm) Length

## Embedded Management

## **HP** Integrated

Monitor your servers for ongoing management, service alerting, reporting and **Lights-Out (HP iLO)** remote management with HP iLO. Learn more at http://www.hp.com/go/ilo.

UEFI

Configure and boot your servers securely with industry standard Unified

Extensible Firmware Interface (UEFI). Learn more at

http://www.hp.com/go/ProLiant/uefi.

**HP RESTful API** 

RESTful API is an application programming interface. RESTful Web Service API served by iLO's web server: Learn more at http://www.hp.com/go/restfulapi.

Intelligent **Provisioning**  Provision servers by discovering and deploying 1 to few servers with Intelligent Provisioning. Learn more at http://www.hp.com/go/intelligentprovisioning.

Support

**Embedded Remote** HP's embedded remote support, when used with Insight Online direct connect or HP Insight Remote Support, allows HP ProLiant servers to transmit hardware events directly to HP or an HP Authorized Partner for automated phone home support. Learn more at http://www.hp.com/go/insightonline/info.

### **Server utilities**

## **HP Smart Update**

Optimize firmware and driver updates with HP Smart Update solutions. Learn more at http://www.hp.com/go/smartupdate.

## Manager (HP SIM)

HP Systems Insight HP SIM allows you to monitor the health of your HP ProLiant Servers and HP Integrity Servers, and also provides you with basic support for non-HP servers. HP SIM also integrates with HP SUM to provide quick and seamless firmware updates. Learn more at http://www.hp.com/go/sim.

## **HP OneView** Standard

HP OneView Standard can inventory, monitor, alert, and report on your G6, G7, Gen8, and Gen9 servers, while using the HP OneView user interface. Annual support is optionally available. Learn more at http://www.hp.com/go/oneview.

## Standard Features

Scripting Tool Kit and Windows PowerShell Provision 1 to many servers using your own scripts to discover and deploy them with HP Scripting Tool Kit for Windows and Linux or HP Scripting Tools for

Windows PowerShell. Learn more at

http://www.hp.com/go/ProLiantSTK orhttp://www.hp.com/go/powershell.

HP RESTful Interface Tool HP RESTful Interface tool is a scripting tool to provision servers using RESTful

API Interface to discover and deploy servers at scale. Learn more at

http://www.hp.com/go/restfulapi.

HP iLO Mobile Application

Enables the ability to access, deploy, and manage your server anytime from anywhere from select smartphones and mobile devices. For additional

information please visit: http://www.hp.com/go/ilo/mobileapp.

**HP Insight Online** HP Insight Online, available at no additional cost as part of your HP warranty,

Care Pack or contractual support agreement with HP, is a personalized dashboard for simplified tracking of IT operations and support information from anywhere, anytime. Learn more at <a href="http://www.hp.com/go/insightonline/info">http://www.hp.com/go/insightonline/info</a>.

### Security

Power-on password Serial interface control Administrator's password TPM 1.2

UEFI

#### Warranty

This product is covered by a global limited warranty and supported by HP Services and a worldwide network of HP Authorized Channel Partners resellers. Hardware diagnostic support and repair is available for three years from date of purchase. Support for software and initial setup is available for 90 days from date of purchase. Enhancements to warranty services are available through HP Care Pack services or customized service agreements. Hard drives have either a one year or three year warranty; refer to the specific hard drive QuickSpecs for details.

**NOTE:** Server Warranty includes 3-Year Parts, 1-Year Labor, 1-Year Onsite support with next business day response. Warranty repairs may be accomplished through the use of Customer Self Repair (CSR) parts. These parts fall into two categories: 1) Mandatory CSR parts are designed for easy replacement. A travel and labor charge will result when customers decline to replace a Mandatory CSR part; 2) Optional CSR parts are also designed for easy replacement but may involve added complexity. Customers may choose to have HP replace Optional CSR parts at no charge. Additional information regarding worldwide limited warranty and technical support is available at: http://h18004.www1.hp.com/products/servers/platforms/warranty/index.html.

## **Optional Features**

## Embedded Management

#### iLO Essentials

HP iLO Essentials is the preferred license for small and medium business that offers full remote server management capabilities for small and medium business via the Integrated Remote Console (IRC), virtual media, and e-mail based alerts. Learn more about HP iLO Essentials at

http://www.hp.com/go/iLO/essentials.

#### iLO Scale-Out

HP iLO Scale-Out is the preferred license built for web hosting, cloud service providers, and high performance computing data centers, managing massive scale out environments. This license offers sophisticated scripting tools that provides remote access through Text Console via SSH, Dynamic power capping, Email-based Alerting and proactive notifications. For more information, visit <a href="http://www.hp.com/go/iLO/scale-out">http://www.hp.com/go/iLO/scale-out</a>.

#### iLO Advanced

HP iLO Advanced licenses offer smart remote functionality without compromise, for all HP ProLiant servers. The license includes the full integrated remote console, virtual keyboard, video, and mouse (KVM), multi-user collaboration, console record and replay, and GUI-based and scripted virtual media and virtual folders. You can also activate the enhanced security and power management functionality. Learn more about HP iLO Advanced at <a href="http://www.hp.com/go/iloadvanced">http://www.hp.com/go/iloadvanced</a>.

## Server Management

## HP Insight Control

HP Insight Control, lets you deploy, migrate, monitor, remote control, and optimize your IT infrastructure through a single, simple management console. For more information, see <a href="http://www.hp.com/go/insightcontrol">http://www.hp.com/go/insightcontrol</a>.

## HP OneView Advanced

HP OneView Advanced is converged management that eliminates infrastructure complexity with automation simplicity. This modern architecture is designed to accelerate your IT operations across servers, storage, and network resources using software-defined approaches and automation, see <a href="http://www.hp.com/go/oneview">http://www.hp.com/go/oneview</a>.

## Rack and Power Infrastructure

HP Rack and Power Infrastructure products and services create highly efficient and intelligent solutions for existing or new IT data centers. HP Rack and Power infrastructure solutions – rack infrastructure, power protection and management, performance optimized data centers (PODs) – are the foundation you are looking for to help secure your long-term IT success. These products are designed to help you react to changes in the industry. They deliver efficient, easy-to-use capabilities to manage, monitor, deploy and provision infrastructure from entry to enterprise. As an industry leader, HP is uniquely positioned to address the key concerns of power, cooling, cable management and system access. Learn more at HP Rack and Power Infrastructure.

## High Performance Clusters

HP Cluster Platforms are specifically engineered, factory-integrated large-scale ProLiant clusters optimized for High Performance Computing, with a choice of servers, networks and software. Operating system options include specially priced offerings for Red Hat Enterprise Linux and SUSE Linux Enterprise Server, as well as Microsoft Windows HPC Server. A Cluster Platform Configurator simplifies ordering. http://www.hp.com/go/clusters.

HP Insight Cluster Management Utility (CMU) is an HP-licensed and HP-supported suite of tools that are used for lifecycle management of hyperscale clusters of Linux ProLiant systems. CMU includes software for the centralized provisioning, management and monitoring of nodes. CMU makes the administration of clusters user friendly, efficient, and effective. http://www.hp.com/go/cmu.

**NOTE:** High Performance Computing (HPC) interconnect technologies are available for this server as part of the HP Cluster Platform portfolio. These high-speed InfiniBand and Gigabit interconnects are fully supported by HP when integrated within an HP cluster. Flexible, validated solutions can be defined with the help of configuration tools. http://www.hp.com/techservers/clusters/ucp/index.html.

### HPC Interconnects

**NOTE:** High Performance Computing (HPC) interconnect technologies are available for this server under the HP Cluster Platform product portfolio. These high-speed interconnects are fully supported by HP



## **Optional Features**

when they are part of these configure to order clusters. Solutions can be defined with a lot of flexibility with the help of configuration tools. Please visit the following URL to configure HPC Clusters with InfiniBand Interconnects: http://www.hp.com/techservers/clusters/ucp/index.html.

### Storage Software

Whether you need to solve a specific data protection, archiving, or storage command and control challenge, or deliver on strategic consolidation, compliance, or continuity initiatives, look no further than HP storage software. Our storage software helps you reduce costs, simplify storage infrastructure, protect vital assets and respond faster to business opportunities. Storage software that gets the job done:

## **Data Protection and Recovery Software**

Whether you're a large enterprise or a smaller business, HP data protection and recovery software will cost-effectively protect you against disaster and ensure business continuity.

## **Data Archive and Migration Software**

HP's storage software enables you to comply with data retention and retrieval requirements. improve application performance, and reduce costs by efficiently migrating infrequently accessed or less valuable data to lower cost storage.

## Storage Resource Management Software (SRM)

HP's storage resource management software reduces operational costs and provides the command and control foundation you need to efficiently manage and visualize your physical and virtual environments.

## **Data Replication Software**

HP offers array-based and host-based replication software for use in disaster recovery, testing, application development and reporting.

## **Storage Device Management Software**

Maximize your investment in HP storage and networking with software that enables hardwarespecific configuration, performance tuning and connectivity management.

With HP StoreVirtual VSA you can use the power of virtualization to create a virtual array within your host server. Manage it as a single pool of shared storage capacity, and scale it to match your evolving needs. HP ProLiant Gen9 servers include a 3-year limited license for HP StoreVirtual VSA software with 1TB of capacity at no extra cost. Simply select to install HP StoreVirtual VSA software during server setup within Intelligent Provisioning. More information, instructional videos, and free console management software are available at http://www.hp.com/go/vsa1TB.

**NOTE:** For more information about Storage Software including QuickSpecs, please see: http://www.hp.com/go/storage/software.

## (SCE)

**One Config Simple** SCE is a guided self-service tool to help sales and non-technical people provide customers with initial configurations in 3 to 5 minutes. You may then send the configuration on for configuration help, or use in your existing ordering processes. If you require "custom" rack configuration or configuration for products not available in SCE, please contact HP's Customer Business Center or an Authorized Partner for assistance. http://www.hp.com/products/configurator.

## Service and Support

## Service and Support

## **HP Technology Services for Industry Standard Servers**

HP Technology Services delivers confidence, reduces risk and helps customers realize agility and stability. Connect to HP to help prevent problems and solve issues faster. Our support technology lets you to tap into the knowledge of millions of devices and thousands of experts to stay informed and in control, anywhere, any time.

## Protect your business beyond warranty with HP Care Pack Services

HP Care Pack Services enable you to order the right service level, length of coverage and response time as you purchase your new server, giving you full entitlement for the term you select.

### **Optimized Care**

### Supports maintaining servers at optimum performance availability

## HP Proactive Care with 24x7 coverage, three year Care Pack Service

HP Proactive Care helps prevent problems and stabilize IT by utilizing secure, real-time, predictive analytics and proactive consultations when your products are connected to HP. This Care Pack Service combines three years' proactive reporting and advice with our 24x7 coverage and enhanced escalation management, four hour hardware response time and two hour call back for software questions on leading industry standard software running on your HP ProLiant server.

http://h20195.www2.hp.com/v2/GetPDF.aspx/4AA3-8855ENW.pdf

## Standard Care Package

## Supports maintaining high level of server availability

## Foundation Care 24x7, three-year Care Pack Service

HP Foundation Care 24x7 connects you to HP 24 hours a day, seven days a week for assistance on resolving issues. Hardware onsite response within four hours if needed; collaborative software included in this Care Pack service provides troubleshooting assistance on industry leading software running on your HP server. Simplify your support experience and make HP your first call for hardware or software questions. http://h20195.www2.hp.com/V2/GetDocument.aspx?docname=4AA4-8876ENW&cc=us&lc=en

#### Related Services

#### **HP ProLiant Server Hardware Installation**

Provides for the basic hardware installation of HP branded servers, storage devices and networking options to assist you in bringing your new hardware into operation in a timely and professional manner. http://h20195.www2.hp.com/V2/GetPDF.aspx/5981-9356EN.pdf

### Factory Express for Servers and storage

HP Factory Express offers configuration, customization, integration and deployment services for HP servers and storage products. Customers can choose how their factory solutions are built, tested, integrated, shipped and deployed. For more information on Factory Express services for your specific server model please contact your sales representative or go to: http://www.hp.com/go/factory-express.

## **Data Privacy Services**

Protect your data through better media management. HP Data privacy services help manage and protect sensitive data to reduce the risk of unauthorized access to private information and help meet compliance requirements. Our retention services allow you to keep drives and other devices upon failure, our removal services provide convenient data sanitization and our recovery services allow you to safely retire IT assets and capture any remaining value from the hardware. http://www.hp.com/services/dataprivacy

Additional HP Care Pack services can be found at: http://www.hp.com/go/cpc

## Get connected to HP to improve your support experience

Prevent problems with innovative, automated monitoring tools and proactive services. Combining Proactive Care Services with our remote support technology such as Insight Online provides you with expert advice and personalized, cloud-based automated IT support, helping to prevent unplanned down time and solve problems quickly. For more information, visit: http://www.hp.com/go/proactiveinsightexperience

## Service and Support

HP Support Center Personalized online support portal with access to information, tools and experts to support HP business products. Submit support cases online, chat with HP experts, access support resources or collaborate with peers. Learn more http://www.hp.com/go/hpsc

> HP's Support Center Mobile App\*\* allows you to resolve issues yourself or quickly connect to an agent for live support. Now, you can get access to personalized IT support anywhere, anytime. HP Insight Remote Support and HP Support Center are available at no additional cost with a HP warranty, HP Care Pack or HP contractual support agreement.

\*\* HP Support Center Mobile App is subject to local availability.

## Parts and Materials

HP will provide HP-supported replacement parts and materials necessary to maintain the covered hardware product in operating condition, including parts and materials for available and recommended engineering improvements.

Parts and components that have reached their maximum supported lifetime and/or the maximum usage limitations as set forth in the manufacturer's operating manual, product quick-specs, or the technical product data sheet will not be provided, repaired, or replaced as part of these services.

The defective media retention service feature option applies only to Disk or eligible SSD/Flash Drives replaced by HP due to malfunction.

## For more information

To learn more on HP ProLiant servers, please contact your HP sales representative or HP Authorized Channel Partner or visit: http://www.hp.com/services/proliant



## **Pre-configured Models**

For the Standard Features shipped in the "Factory Integrated Models", please see the "Configuration Information - Factory Integrated Models" section.

- 1. Pre-configured models ship with the configurations below. Options can be selected from the Core or Additional options section of this QuickSpecs.
- 2. HP does not allow factory integration of options into pre-configured models. Any additional options purchased will be shipped separately.
- 3. If you desire a custom configuration please see "Configuration Information Factory Integrated Models" section of this QuickSpecs.

**NOTE:** All Pre-configured Models come populated with some hard drive blanks installed. Should the customer need additional hard drive blanks, they can order more using either P/N 666987-B21: HP SFF Hard Drive Blank Kit or P/N 666986-B21: HP LFF Hard Drive Blank Kit.

**NOTE:** All pre-configured servers ship with a standard 6-foot IEC C-13/C-14 jumper cord (A0K02A). This jumper cord is also included with each standard AC power supply option kit. If a different power cord is required, please check the ProLiant Power Cables web page.

**Caution:** HP recommends that a minimum of two people are required for all Rack Server installations. Please refer to your installation instructions for proper tools and number of people to use for any installation.

|                      | Entry  | Models  | Base N   | 1odels   |  |  |
|----------------------|--|---|--|--|--|--|
| [SKU Number]         | 778452-B21   | 778453-B21  | 778454-B21   | 778455-B21   |  |  |
| Model Name           | HP ProLiant DL180<br>Gen9 E5-2603v3 1P<br>8GB-R B140i 4LFF NHP<br>SATA 550W PS Entry<br>Server | HP ProLiant DL180<br>Gen9 E5-2603v3 1P<br>8GB-R B140i 8LFF Hot<br>Plug SATA 550W PS<br>Entry Server                                 | HP ProLiant DL180<br>Gen9 E5-2609v3 1P<br>8GB-R H240 8LFF SAS<br>550W PS Base Server | HP ProLiant DL180<br>Gen9 E5-2609v3 1P<br>8GB-R H240 8SFF SAS<br>550W PS Base Server |  |  |
| Processor            |  | ® E5-2603v3   | Intel® Xeon®   | E5-2609v3  |  |  |
| Number of Processors | inter Acon   |   | One mice Acon  | 25 200373  |  |  |
| Memory               | <b>NOTE:</b> Due to proce  | 8GB (1x8GB Registered DIMMs, 2133 MHz)  NOTE: Due to processor limitation, these DDR4 DIMMs will operate at 1600 MHz in this model. |  |  |  |  |
| Network Controller   | HP Ethernet 1Gb 2-port i350 Adapter  |   |  |  |  |  |
| Storage Controller   | HP Dynamic Sr  | mart Array B140i HP H240 FIO Smart  |  | t Host Bus Adapter   |  |  |
| Hard Drive           | None ship standard;<br>includes 4 LFF hard<br>drive blanks                                     | None ship standard; includes 6 LFF hard drive<br>blanks   |  | None ship standard;<br>includes 6 SFF hard<br>drive blanks                           |  |  |
| Internal Storage     | 4 LFF HDD Bays (Non<br>Hot Plug)   | 8 LFF HDD Bays 8 SFF HDD Bays   |  |  |  |  |
| Optical Drive Bay    | Not Available 1; (Optional: DVD-ROM, DVD-RW)   |   |  |  |  |  |
| PCI-Express Slots    | 3 Standard (1-FL/FH, 2-FH/HL)  |   |  |  |  |  |
| Power Supply         | (1) HP 550W FIO Power Supply   |   |  |  |  |  |
| Fans                 | 2 hot swap fans, non-redundant   |   |  |  |  |  |
| Management           | iLO Management (standard), Intelligent Provisioning (standard), iLO Essentials (optional)      |   |  |  |  |  |
| Form Factor          | Rack (2U), HP Easy Install Rails   |   |  |  |  |  |
| Warranty             | Server Warranty includ   | Server Warranty includes 3-Year Parts, 1-Year Labor, 1-Year Onsite support with next business day response.                         |  |  |  |  |



## Pre-configured Models

|                      | Storage Models  | Energy Star Models  |  |  |  |
|----------------------|---|---|--|--|--|
| [SKU Number]         | 778456-B21  | 778457-B21  |  |  |  |
| Model Name           | HP ProLiant DL180 Gen9 E5-2623v3 1P<br>16GB-R P840 12LFF SAS 900W PS<br>Storage Server                      | HP ProLiant DL180 Gen9 E5-2630v3 2P<br>32GB-R P840/4G 16SFF SAS 800W RPS<br>ES Server     |  |  |  |
| Processor            | Intel® Xeon® E5-2623v3  | Intel® Xeon® E5-2630v3  |  |  |  |
| Number of Processors | One   | Two   |  |  |  |
| Memory               | 16GB (2x8GB Registered DIMMs, 2133<br>MHz)  | 32GB (2x16GB Registered DIMMs, 2133<br>MHz)   |  |  |  |
| Network Controller   | HP Ethernet 1Gb   | HP Ethernet 1Gb 2-port i350 Adapter   |  |  |  |
| Storage Controller   | HP Flexible Smart Arra  | HP Flexible Smart Array P840/4G FIO Controller  |  |  |  |
| Hard Drive           | None sh   | None ship standard  |  |  |  |
| Internal Storage     | 12 LFF HDD Bays   | 16 SFF HDD Bays   |  |  |  |
| Optical Drive Bay    | Not Available   | 1; (Optional: DVD-ROM, DVD-RW)  |  |  |  |
| PCI-Express Slots    | 3 Standard (1-  | -FL/FH, 2-FH/HL)  |  |  |  |
| Power Supply         | (1) HP 900W Redundant Power Supply  | (2) HP 900W Redundant Power Supply  |  |  |  |
| Fans                 | 4 hot plug fans, redundant  | 5 hot plug fans, redundant  |  |  |  |
| Management           |   | iLO Management (standard), Intelligent Provisioning (standard), iLO Essentials (optional) |  |  |  |
| Energy Star          |   | Meets Energy Star requirements  |  |  |  |
| Form Factor          | Rack (2U), HP Easy Install Rails  | Rack (2U), HP Easy Install Rails with CMA   |  |  |  |
| Warranty             | Server Warranty includes 3-Year Parts, 1-Year Labor, 1-Year Onsite support with next business day response. |   |  |  |  |

## Smart Buy Models

| [SKU Number]            | 784099-S01   | 784100-S01                                   | 784101-S01                             | 784102-S01                             |  |  |
|-------------------------|--|--|--|--|--|--|
|                         |  |  |  |  |  |  |
| Model Name              | HP ProLiant DL180 Gen9   | HP ProLiant DL180 Gen9                       | HP ProLiant DL180                      | HP ProLiant DL180                      |  |  |
|                         | E5-2603v3 1.6GHz 6-core<br>8GB-R B140i 8LFF 550W   | E5-2609v3 1.9GHz 6-<br>core 8GB-R H240 8SFF  | Gen9 E5-2620v3<br>2.4GHz 6-core 16GB-R | Gen9 E5-2640v3<br>2.6GHz 8-core 32GB-R |  |  |
|                         | PS Server/S-Buy  | 550W PS Server/S-Buy                         | P440/4G 8SFF 900W PS                   | P840/4G 8SFF 800W                      |  |  |
|                         | P3 Server/3-Buy  | 350W P3 3erver/3-buy                         | Server/S-Buy                           | RPS US Server/S-Buy                    |  |  |
| D*******                | Intel® Xeon® E5-2603v3   | Intel® Xeon® E5-2609v3                       | Intel® Xeon® E5-                       | Intel® Xeon® E5-2640v3                 |  |  |
| Processor               | intel® Xeon® E5-2603V3   | intel® Xeon® E5-2609V3                       | 2620v3                                 | intel® Xeon® E5-2640V3                 |  |  |
| Number of<br>Processors |  | One  |  | Two                                    |  |  |
| Memory                  |  | ed DIMMs, 2133 MHz)                          | 8GB (1x8GB Registered                  | 32GB (2x16GB                           |  |  |
|                         | NOTE: DIMMs will opera   | te at 1600MHz with this                      | DIMMs, 2133 MHz)                       | Registered DIMMs, 2133                 |  |  |
|                         | proce  | essor.                                       | <b>NOTE:</b> DIMMs will                | MHz)                                   |  |  |
|                         |  |  | operate at 1866MHz                     | <b>NOTE:</b> DIMMs will                |  |  |
|                         |  |  | with this processor.                   | operate at 1866MHz                     |  |  |
|                         |  |  |  | with this processor.                   |  |  |
| Network Controller      | HP Ethernet 1Gb 2-port i350 Adapter  |  |  |  |  |  |
| Storage Controller      | HP Dynamic Smart Array   | HP H240 FIO Smart Host                       | HP Smart Array                         | HP Smart Array                         |  |  |
|                         | B140i  | Bus Adapter                                  | P440/4G FIO Controller                 | P840/4G FIO Controller                 |  |  |
|                         |  |  | +Smart Storage Battery                 | + Smart Storage                        |  |  |
|                         |  |  |  | Battery                                |  |  |
| Hard Drive              | None Ship Standard   |  |  |  |  |  |
| Internal Storage        | 8 LFF HDD Bays   | 8 SFF HDD Bays                               |  |  |  |  |
| Optical Drive Bay       | Not Available  | None Incl                                    | uded (Optional: DVD-ROM,               | DVD-RW)                                |  |  |
| PCI-Express Slots       |  | 3 Standard (1-F                              | L/FH, 2-FH/HL)                         |  |  |  |
| Power Supply            | (1) HP 550W FIG  | O Power Supply                               | One (1) 900W Power                     | Two (2) 800W                           |  |  |
|                         | (,, 5561111  | or one supply                                | Supply                                 | Redundant Power                        |  |  |
|                         |  |  | 2                                      | Supply                                 |  |  |
| Fans                    | 21   | 2 hot swap fans, non-redundant 5 hot swap fa |  |  |  |  |
|                         |  | iot swap rans, non-redande                   |  | redundant                              |  |  |
| Management              | Standard: iLO Management Engine<br>Optional: iLO Essentials, iLO Advanced, Insight Control |  |  |  |  |  |
| -                       |  |  |  |  |  |  |
|                         | Rack (2U), HP Easy Install Rails   |  |  |  |  |  |
| Form Factor             |  | Rack (20), HP E                              | asy mistali Nalis                      |  |  |  |
| Form Factor<br>Warranty | Server Warranty includ   | les 3-Year Parts, 1-Year Lal                 |  | with next business dav                 |  |  |



## **Configuration Information - Factory Integrated Models**

This section lists some of the steps required to configure a Factory Integrated Model. To ensure only valid configurations are ordered, HP recommends the use of an HP approved configurator. Contact your local sales representative for information on configurable product offerings and requirements.

- 1. Factory Integrated Models must start with a CTO Server.
- 2. FIO indicates that this option is only available as a factory installable option.
- 3. All Factory Integrated Models will be populated with sufficient hard drive blanks based on the number of initial hard drives ordered with the server.
- 4. Some options may not be integrated at the factory. Contact your local sales representative for additional information.

## Step 1: Base Configuration (choose one of the following configurable models)

| Non-hot Plug LFF Configure-to-order Server S |                    |   |   |                                     |                                      |  |
|--|--------------------|---|---|-------------------------------------|--------------------------------------|--|
| SKU Number 754525-B21 754524-B21 754523-B21 775506-B21  Processor 2 (optional) x HP Smart Socket Guide  DIMM Slots 16 DIMM slots for RDIMM, LRDIMM DDR4 Memory  Storage Controller HP Dynamic Smart Array B140i  PCIe 3 PCIe slots (+3 PCI slots available with upgrade option, second processor required)  Drive Cage 4LFF or 8LFF Non Hot Plug (+4LFF optional field upgradable)  Network Controller HP Ethernet 1Gb 2-port i350 Adapter  Fans 2 hot swap fans, non-redundant  Management iLO Management (standard), Intelligent Provisioning (standard), iLO Essentials (optional)  USB 1 front, 1 internal, 2 rear   | CTO Server         | Non-hot Plug LFF<br>Configure-to-order  | Hot Plug 8LFF<br>Configure-to-order         | Hot Plug 8SFF<br>Configure-to-order | Hot Plug 12LFF<br>Configure-to-order |  |
| Storage Controller  HP Dynamic Smart Array B140i  PCle  3 PCle slots (+3 PCl slots available with upgrade option, second processor required)  Drive Cage  4LFF or 8LFF Non Hot Plug 0 optional field 1 upgradable)  Network Controller  HP Ethernet 1Gb 2-port i350 Adapter  Fans 2 hot swap fans, non-redundant  Management iLO Management (standard), Intelligent Provisioning (standard), iLO Essentials (optional)  USB  1 front, 1 internal, 2 rear   | SKU Number         | 754525-B21  | 754524-B21                                  | 754523-B21                          | 775506-B21                           |  |
| Storage Controller   | Processor          |   | 2 (optional) x HP                           | Smart Socket Guide                  |                                      |  |
| PCIe 3 PCIe slots (+3 PCI slots available with upgrade option, second processor required)  Drive Cage 4 LFF or 8LFF Non Hot Plug (+4LFF optional field upgradable)  Network Controller HP Ethernet 1Gb 2-port i350 Adapter  Fans 2 hot swap fans, non-redundant  Management iLO Management (standard), Intelligent Provisioning (standard), iLO Essentials (optional)  USB 1 front, 1 internal, 2 rear   | DIMM Slots         |   | 16 DIMM slots for RDIMM, LRDIMM DDR4 Memory |                                     |                                      |  |
| Drive Cage       4LFF or 8LFF Non Hot Plug       8LFF Hot Plug (+4LFF Optional)       8SFF Hot Plug (+8SFF Optional)       12LFF Hot Plug         Network Controller       HP Ethernet 1Gb ≥-port i350 Adapter         Fans       2 hot swap fans, non-redundant         Management       iLO Management (standard), Intelligent Provisioning (standard), iLO Essentials (optional)         USB       1 front, 1 internal, 2 rear  | Storage Controller | HP Dynamic Smart Array B140i  |   |                                     |                                      |  |
| Plug optional field upgradable)  Network Controller  HP Ethernet 1Gb 2-port i350 Adapter  Fans  2 hot swap fans, non-redundant  Management  iLO Management (standard), Intelligent Provisioning (standard), iLO Essentials (optional)  USB  1 front, 1 internal, 2 rear  | PCIe               | 3 PCIe slots (+3 PCI slots available with upgrade option, second processor required)      |   |                                     |                                      |  |
| Fans 2 hot swap fans, non-redundant  Management iLO Management (standard), Intelligent Provisioning (standard), iLO Essentials (optional)  USB 1 front, 1 internal, 2 rear   | Drive Cage         |   | optional field                              | _                                   | 12LFF Hot Plug                       |  |
| Management iLO Management (standard), Intelligent Provisioning (standard), iLO Essentials (optional)  USB 1 front, 1 internal, 2 rear  | Network Controller | HP Ethernet 1Gb 2-port i350 Adapter   |   |                                     |                                      |  |
| USB 1 front, 1 internal, 2 rear  | Fans               | 2 hot swap fans, non-redundant  |   |                                     |                                      |  |
|  | Management         | iLO Management (standard), Intelligent Provisioning (standard), iLO Essentials (optional) |   |                                     |                                      |  |
| Ears         Optional         HP Quick Release Ears         Optional         HP Quick Release Ears   | USB                | 1 front, 1 internal, 2 rear   |   |                                     |                                      |  |
|  | Ears               | Optional HP Quick Release Ears Optional HP Quick Release                                  |   |                                     |                                      |  |

**NOTE:** HP ProLiant DL180 Gen9 Non-hot plug CTO Server (P/N- 754525-B21) supports both 4LFF and 8LFF configurations. **NOTE:** Thumb screw ears are not supported on Hot Plug LFF CTO Server Models.

# Step 2: Choose Required Options (only one of the following from each list unless otherwise noted)

| <b>HP Processors</b> | Entry Processors - E5-2600v3 series Processors                                       |            |
|----------------------|--|------------|
|                      | HP DL180 Gen9 Intel® Xeon® E5-2609v3 (1.9GHz/6-core/15MB/85W) FIO Processor Kit      | 733925-L21 |
|                      | HP DL180 Gen9 Intel® Xeon® E5-2603v3 (1.6GHz/6-core/15MB/85W) FIO Processor Kit      | 733929-L21 |
|                      | Base Processors - E5-2600v3 series Processors  |            |
|                      | HP DL180 Gen9 Intel® Xeon® E5-2640v3 (2.6GHz/8-core/20MB/90W) FIO Processor Kit      | 733916-L21 |
|                      | HP DL180 Gen9 Intel® Xeon® E5-2630v3 (2.4GHz/8-core/20MB/85W) FIO Processor Kit      | 733918-L21 |
|                      | HP DL180 Gen9 Intel® Xeon® E5-2630Lv3 (1.8GHz/8-core/20MB/55W) FIO Processor Kit     | 733226-L21 |
|                      | HP DL180 Gen9 Intel® Xeon® E5-2620v3 (2.4GHz/6-core/15MB/85W) FIO Processor Kit      | 733921-L21 |
|                      | HP DL180 Gen9 Intel® Xeon® E5-2623v3 (3GHz/4-core/10MB/105W) FIO Processor Kit       | 779830-L21 |
|                      | Performance Processors - E5-2600v3 series Processors                                 |            |
|                      | HP DL180 Gen9 Intel® Xeon® E5-2660v3 (2.6GHz/10-core/25MB/105W) FIO Processor<br>Kit | 733912-L21 |
|                      | HP DL180 Gen9 Intel® Xeon® E5-2650v3 (2.3GHz/10-core/25MB/105W) FIO Processor<br>Kit | 733914-L21 |



## Configuration Information - Factory Integrated Models

HP DL180 Gen9 Intel® Xeon® E5-2650Lv3 (1.8GHz/12-core/30MB/65W) FIO Processor 763222-L21

NOTE: If two processors are desired, select one xxxxxx-L21 and one corresponding xxxxxx-B21

**NOTE:** Up to two processors supported. Mixing different processor models is not supported.

NOTE: DDR4 speed is the maximum memory speed of the processor. Actual memory speed may depend on the quantity and type of DIMMs installed.

**NOTE:** For the Intel® C600 Chipset E5-2600 Series, the letter preceding the model number indicates the Product Line (E3, E5, E7); 2600x v#, 2=number of CPUs in a Node, 6 is socket/segment designation. 00=Processor SKU, x=L for low power SKUs and v# (not yet designated)=version number.

### **HP Memory**

**NOTE:** Select one or more memory from section below.

NOTE: LRDIMM and RDIMM are distinct memory technologies and cannot be mixed within a server. The majority of ProLiant Gen9 servers support LRDIMM and RDIMM.

**NOTE:** HP memory from previous generation servers are not qualified or warranted with this HP ProLiant server. HP SmartMemory is required to realize the performance improvements and enhanced functionality listed in this document for Gen9.

**NOTE:** If only one processor is installed, only half of the total DIMM slots are available. When populating with two processors all DIMM slots are available.

NOTE: Kits described as LP include Low Power DIMMs. For more information on ProLiant Energy Efficient Features see: http://www.hp.com/go/proliant-energy-efficient.

NOTE: Depending on the memory configuration and processor model, the memory speed may run at 2133MHz, 1866MHz, 1600MHz or 1333MHz. Please see Memory Population Table or Online Memory Configuration Tool at: http://www.hp.com/go/ddr4config.

## Registered DIMMs (RDIMMs) for E5-2600v3 Series

| HP 4GB (1x4GB) Single Rank x8 DDR4-2133 CAS-15-15-15 Registered Memory Kit             | 726717-B21 |
|--|------------|
| HP 8GB (1x8GB) Single Rank x4 DDR4-2133 CAS-15-15-15 Registered Memory Kit             | 726718-B21 |
| HP 8GB (1x8GB) Dual Rank x8 DDR4-2133 CAS-15-15 Registered Memory Kit                  | 759934-B21 |
| HP 16GB (1x16GB) Dual Rank x4 DDR4-2133 CAS-15-15 Registered Memory Kit                | 726719-B21 |
| HP 32GB (1x32GB) Dual Rank x4 DDR4-2133 CAS-15-15 Registered Memory Kit                | 728629-B21 |
| Load Reduced DIMMs (LRDIMMs) for E5-2600v3 Series                                      |            |
| HP 16GB (1x16GB) Dual Rank x4 DDR4-2133 CAS-15-15 Load Reduced Memory Kit              | 726720-B21 |
| HP 32GB (1x32GB) Quad Rank x4 DDR4-2133 CAS-15-15-15 Load Reduced Memory Kit           | 726722-B21 |
| HP Standard Memory   |            |
| HP 4GB (1x4GB) Single Rank x8 DDR4-2133 CAS-15-15-15 Registered Standard Memory<br>Kit | 803026-B21 |
| HP 8GB (1x8GB) Single Rank x4 DDR4-2133 CAS-15-15-15 Registered Standard Memory<br>Kit | 803028-B21 |
| NOTE: These are standard memory DIMMs with no SmartMemory features.                    |            |

## **HP I/O Expansion Options**

| HP DL180 Gen9 3 Slot x8 PCI-E Riser Kit | 725569-B21 |
|---|------------|
| HP DL180 Gen9 x16 PCI-E Riser Kit       | 725570-B21 |

**NOTE:** Must be selected to support x16 options.

HP Power Supplies NOTE: Mixing of power supplies in the same server is not supported. All power supplies must be of the same input voltage, output rating, and efficiency rating. If non-matching power supplies are installed, you may receive an error message and/or experience operational issues with your server.

> **NOTE:** Prior to selecting a power supply option, it is highly recommended that you review your server configuration in the HP Power Advisor tool to determine the right size power supply for your server configuration. The HP Power Advisor is located at: http://www.hp.com/go/hppoweradvisor

## **HP Entry-Level Power Supplies**

HP 550W FIO Power Supply Kit

730941-B21

813535-B21



## Configuration Information - Factory Integrated Models

**NOTE:** The above power supply option is 80Plus Silver-certified with an efficiency rating of up to 89%. Power specifications and technical content for all HP Server power supplies can be found at <a href="http://www.hp.com/go/proliant/powersupply">http://www.hp.com/go/proliant/powersupply</a>.

HP 800W Gold (Redundant)/900W (Non-Redundant) AC Power Input FIO Module

NOTE: HP Server RPS FIO Backplane Kit (P/N: 813535-B21) is required for this power supply.

813534-B21

**NOTE:** Up to two of these option kits can be installed in one system.

**NOTE:** This FIO kit only be bought integrated in the server. It cannot be ordered as standalone option after server purchase.

**NOTE:** With just one power supply module installed, up to 900W wattage is supported while with both power supply modules installed in RPS mode, up to 800W is supported

HP Server Redundant Power Supply Backplane FIO Kit

**NOTE:** Required for RPS capability.

**NOTE:** This FIO kit only be bought integrated in the server. It cannot be ordered as standalone option after server purchase.

**NOTE:** The above power supply option is 80Plus Gold-certified with an efficiency rating of up to 92%. Each power backplane kit (813535-B21) can support up to two (2) AC power input modules (813534-B21). Power specifications and technical content for all HP Server power supplies can be found at <a href="http://www.hp.com/go/proliant/powersupply">http://www.hp.com/go/proliant/powersupply</a>.

## HP Storage Controllers

**NOTE:** One of the cable options below is required to be selected depending on combination of CTO Server and Storage Controller. If not using the embedded B140i controller, must select one of the following HP Storage Controllers and Cable options noted below.

**NOTE:** HP ProLiant DL180 Gen9 12LFF CTO Server (P/N: 775506-B21) includes P840 Controller Cable Kit and therefore no cable kit is required with that model.

#### **HP Smart Array Controllers**

B21) is selected in Step 1 above.

HP Smart Array P440/4GB FBWC 12Gb 1-port Int FIO SAS Controller 761872-B21

NOTE: May be selected to support SAS Hard Drives if HP ProLiant DL180 Gen9 8SFF CTO

Server (P/N: 754523-B21) or HP ProLiant DL180 Gen9 8LFF CTO Server (P/N: 754524-

**NOTE:** Includes the HP Smart Storage Battery

HP Smart Array P840/4GB FBWC 12Gb 2-port Int FIO SAS Controller 761874-B21

**NOTE:** May be selected if HP ProLiant DL180 Gen9 12LFF CTO Server (P/N: 775506-B21) is selected and may be selected if HP ProLiant DL180 Gen9 8SFF CTO Server (P/N: 754523-B21) or HP ProLiant DL180 Gen9 8LFF CTO Server (P/N: 754524-B21) is selected in Step 1 above.

**NOTE:** Includes the HP Smart Storage Battery

## **HP Smart Host Bus Adapters**

HP H240 12Gb 2-ports Int FIO Smart Host Bus Adapter

NOTE: May be selected if HP ProLiant DL180 Gen9 8SFF CTO Server (P/N: 754523-B21)

or HP ProLiant DL180 Gen9 8LFF CTO Server (P/N: 754524-B21) is selected in Step 1

above.

### **HP Cable Options**

HP DL180 Gen9 8LFF Smart Array Cable Kit 725557-B21 **NOTE:** Required if P/N: 761872-B21 or if P/N: 761874-B21 is selected with the HP

ProLiant DL180 Gen9 8LFF CTO Server.

HP DL180 Gen9 8SFF Smart Array Cable Kit 725578-B21

**NOTE:** Required if P/N: 761872-B21 or if P/N: 761874-B21 is selected with the HP ProLiant DL180 Gen9 8SFF CTO Server.

HP DL180 Gen9 8LFF Hot Plug FIO Cable Kit 774868-B21

**NOTE:** Required if P/N: 761873-B21 is selected or if using the embedded B140i with the HP ProLiant DL180 Gen9 8LFF CTO Server.

HP DL180 Gen9 8LFF Non-Hot Plug FIO Cable Kit 774869-B21



## **Configuration Information - Factory Integrated Models**

**NOTE:** Required with the HP ProLiant DL180 Gen9 NHP LFF CTO Server and supporting more than four (4) NHP Hard Drives.

HP DL180 Gen9 8SFF Hot Plug FIO Cable Kit 774870-B21

**NOTE:** Required if P/N: 761873-B21 is selected or if using the embedded B140i with the

HP ProLiant DL180 Gen9 8SFF CTO Server.

HP DL180 Gen9 4LFF Non-Hot Pluq FIO Cable Kit 776447-B21

NOTE: Required with the HP ProLiant DL180 Gen9 NHP LFF CTO Server and supporting

four (4) or fewer NHP Hard Drives.

# Step 3: Choose Additional Factory Integratable Options (only one of the following from each list unless otherwise noted)

BIOS Mode HP Legacy FIO Mode 758959-B22

**NOTE:** If B140i is the only primary controller, then this option cannot be selected.

**NOTE:** Selecting this option will changed the UEFI BIOS Setting into Legacy BIOS setting.

Controller State HP Mfg FIO Enable HBA Mode Setting 792962-B21

**NOTE:** Can only be selected with H240 FIO Smart Host Bus Adapter. **NOTE:** If H240 is the primary controller then RAID is not allowed with this selection.

HP AHCI-Enable FIO Setting 801845-B21

NOTE: If B140i is the only primary controller, then RAID is not allowed with this selection

**HP Cooling Options** HP DL180 Gen9 Redundant Fan FIO Kit 779841-B21

**NOTE:** Upgrades a non-redundant server with one additional hot-plug fan.

HP DL180 Gen9 Thumbscrew Ear FIO Kit 782641-B21

**NOTE:** Thumbscrews are available with SFF model only.

HP Quick-release Latch Rack Ears FIO Kit 725579-B21

NOTE: Quick-release Latch ears are available for both SFF and LFF models. For 12LFF

Model Quick-release Ears are mandatory.

HP Insight HP Insight Control

Software HP Insight Control including 1yr 24x7 Support ProLiant ML/DL/BL-bundle Single Server C6N36A

FIO License

HP Insight Control including 1yr 24x7 Support ProLiant ML/DL/BL-bundle Single Server C6N36ABE

FIO E-LTU

HP Converged HP OneView Advanced (without HP iLO Advanced)

Infrastructure HP OneView w/o iLO including 3yr 24x7 Support FIO 1 Server LTU P8B31A

Management Software

# Step 4: Choose Additional Options for Factory Integration from Core and Additional Options sections below.

**Caution:** HP recommends that a minimum of two people are required for all Rack Server installations. Please refer to your installation instructions for proper tools and number of people to use for any installation.

## **Core Options**

**NOTE:** Some options may not be integrated at the factory. To ensure only valid configurations are ordered, HP recommends the use of an HP approved configurator. Contact your local sales representative for additional information.

| •                        |   |            |
|--------------------------|---|------------|
| <b>HP Unique Options</b> | HP DL180 Gen9 Dedicated iLO Management Port Kit   | 725581-B21 |
|                          | HP DL180 Gen9 8SFF Hard Drive Cage/Backplane Kit  | 725572-B21 |
|                          | HP DL180 Gen9 12LFF Hot Plug Enablement Kit  NOTE: This can be used only with 8LFF Hot Plug CTO Server and contains the controller cables required for upgrade. | 725574-B21 |
|                          | HP DL180 Gen9 3 Slot x8 PCI-E Riser Kit   | 725569-B21 |
|                          | HP DL180 Gen9 x16 PCI-E Riser Kit   | 725570-B21 |
| HP Processors            | Entry Processors - E5-2600v3 series Processors  |            |
|                          | HP DL180 Gen9 Intel® Xeon® E5-2609v3 (1.9GHz/6-core/15MB/85W) Processor<br>Kit  | 733925-B21 |
|                          | HP DL180 Gen9 Intel® Xeon® E5-2603v3 (1.6GHz/6-core/15MB/85W) Processor<br>Kit  | 733929-B21 |
|                          | Base Processors - E5-2600v3 series Processors   |            |
|                          | HP DL180 Gen9 Intel® Xeon® E5-2640v3 (2.6GHz/8-core/20MB/90W) Processor<br>Kit  | 733916-B21 |
|                          | HP DL180 Gen9 Intel® Xeon® E5-2630v3 (2.4GHz/8-core/20MB/85W) Processor<br>Kit  | 733918-B21 |
|                          | HP DL180 Gen9 Intel® Xeon® E5-2630Lv3 (1.8GHz/8-core/20MB/55W) Processor<br>Kit   | 763226-B21 |
|                          | HP DL180 Gen9 Intel® Xeon® E5-2620v3 (2.4GHz/6-core/15MB/85W) Processor<br>Kit  | 733921-B21 |
|                          | HP DL180 Gen9 Intel® Xeon® E5-2623v3 (3GHz/4-core/10MB/105W) Processor Kit  Performance Processors - E5-2600v3 series Processors                                | 779830-B21 |
|                          | HP DL180 Gen9 Intel® Xeon® E5-2660v3 (2.6GHz/10-core/25MB/105W) Processor<br>Kit  | 733912-B21 |
|                          | HP DL180 Gen9 Intel® Xeon® E5-2650v3 (2.3GHz/10-core/25MB/105W) Processor<br>Kit  | 733914-B21 |
|                          | HP DL180 Gen9 Intel® Xeon® E5-2650Lv3 (1.8GHz/12-core/30MB/65W) Processor<br>Kit  | 763222-B21 |
| HP Memory                | Registered DIMMs (RDIMMs) for E5-2600v3 Series  |            |
|                          | HP 4GB (1x4GB) Single Rank x8 DDR4-2133 CAS-15-15-15 Registered Memory Kit  | 726717-B21 |
|                          | HP 8GB (1x8GB) Single Rank x4 DDR4-2133 CAS-15-15-15 Registered Memory Kit  | 726718-B21 |
|                          | HP 8GB (1x8GB) Dual Rank x8 DDR4-2133 CAS-15-15-15 Registered Memory Kit  | 759934-B21 |
|                          | HP 16GB (1x16GB) Dual Rank x4 DDR4-2133 CAS-15-15-15 Registered Memory<br>Kit   | 726719-B21 |
|                          | HP 32GB (1x32GB) Dual Rank x4 DDR4-2133 CAS-15-15-15 Registered Memory<br>Kit   | 728629-B21 |
|                          | Load Reduced DIMMs (LRDIMMs) for E5-2600v3 Series   |            |
|                          | HP 16GB (1x16GB) Dual Rank x4 DDR4-2133 CAS-15-15-15 Load Reduced<br>Memory Kit   | 726720-B21 |
|                          | HP 32GB (1x32GB) Quad Rank x4 DDR4-2133 CAS-15-15-15 Load Reduced Memory Kit  | 726722-B21 |
|                          | HP Standard Memory  |            |
|                          | HP 4GB (1x4GB) Single Rank x8 DDR4-2133 CAS-15-15-15 Registered Standard  | 803026-B21 |

803028-B21



## **Core Options**

|                   | Memory Kit   | 003020-021           |
|-------------------|--|----------------------|
|                   | NOTE: These memory options are available as standalone only and can not be config          | ured in the factory. |
|                   | These are standard memory DIMMs with no Smart Memory features.                             |                      |
| HP Optical Drives | HP DL180 Gen9 Optical Disk Drive Enablement Kit  | 725582-B21           |
|                   | HP 9.5mm SATA DVD-ROM JackBlack Gen9 Optical Drive   | 726536-B21           |
|                   | HP 9.5mm SATA DVD-RW JackBlack G9 Optical Drive  | 726537-B21           |
|                   | HP Mobile USB Non Leaded System DVD RW Drive   | 701498-B21           |
|                   | <b>NOTE:</b> Optical drive is not supported on LFF models.                                 |                      |
| HP Drives         | SAS Hot Plug SFF (2.5-inch) Enterprise (ENT) Drives  |                      |
|                   | HP 1.8TB 12G SAS 10K rpm SFF (2.5-inch) SC Enterprise 512e 3yr Warranty Hard<br>Drive      | 791034-B21           |
|                   | HP 1.2TB 12G SAS 10K rpm SFF (2.5-inch) SC Enterprise 3yr Warranty Hard Drive              | 781518-B21           |
|                   | HP 1.2TB 6G SAS 10K rpm SFF (2.5-inch) SC Dual Port Enterprise 3yr Warranty<br>Hard Drive  | 718162-B21           |
|                   | HP 900GB 12G SAS 10K rpm SFF (2.5-inch) SC Enterprise 3yr Warranty Hard Drive              | 785069-B21           |
|                   | HP 900GB 6G SAS 10K rpm SFF (2.5-inch) SC Enterprise 3yr Warranty Hard Drive               | 652589-B21           |
|                   | HP 600GB 12G SAS 15K rpm SFF (2.5-inch) SC 512e Enterprise 3yr Warranty Hard<br>Drive      | 748387-B21           |
|                   | HP 600GB 12G SAS 15K rpm SFF (2.5-inch) SC Enterprise 3yr Warranty Hard Drive              | 759212-B21           |
|                   | HP 600GB 12G SAS 10K rpm SFF (2.5-inch) SC Enterprise 3yr Warranty Hard Drive              | 781516-B21           |
|                   | HP 600GB 6G SAS 10K rpm SFF (2.5-inch) SC Enterprise 3yr Warranty Hard Drive               | 652583-B21           |
|                   | HP 450GB 12G SAS 15K rpm SFF (2.5-inch) SC Enterprise 3yr Warranty Hard Drive              | 759210-B21           |
|                   | HP 450GB 6G SAS 10K rpm SFF (2.5-inch) SC Enterprise 3yr Warranty Hard Drive               | 652572-B21           |
|                   | HP 300GB 12G SAS 15K rpm SFF (2.5-inch) SC Enterprise 3yr Warranty Hard Drive              | 759208-B21           |
|                   | HP 300GB 12G SAS 10K rpm SFF (2.5-inch) SC Enterprise 3yr Warranty Hard Drive              | 785067-B21           |
|                   | HP 300GB 6G SAS 10K rpm SFF (2.5-inch) SC Enterprise 3yr Warranty Hard Drive               | 652564-B21           |
|                   | HP 146GB 6G SAS 15K rpm SFF (2.5-inch) SC Enterprise 3yr Warranty Hard Drive               | 652605-B21           |
|                   | SAS Hot Plug SFF (2.5-inch) Midline (MDL) Drives   |                      |
|                   | HP 2TB 12G SAS 7.2K rpm SFF (2.5-inch) SC 512e 1yr Warranty Hard Drive                     | 765466-B21           |
|                   | HP 1TB 12G SAS 7.2K rpm SFF (2.5-inch) SC 512e 1yr Warranty Hard Drive                     | 765464-B21           |
|                   | HP 1TB 6G SAS 7.2K rpm SFF (2.5-inch) SC Midline 1yr Warranty Hard Drive                   | 652749-B21           |
|                   | HP 500GB 6G SAS 7.2K rpm SFF (2.5-inch) SC Midline 1yr Warranty Hard Drive                 | 652745-B21           |
|                   | SAS Hot Plug LFF (3.5-inch) Enterprise (ENT) Drives  |                      |
|                   | HP 600GB 12G SAS 15K rpm LFF (3.5-inch) SC Converter Enterprise 3yr Warranty<br>Hard Drive | 765424-B21           |
|                   | HP 450GB 12G SAS 15K rpm LFF (3.5-inch) SC Converter Enterprise 3yr Warranty<br>Hard Drive | 737394-B21           |
|                   | HP 300GB 12G SAS 15K rpm LFF (3.5-inch) SC Converter Enterprise 3yr Warranty<br>Hard Drive | 737261-B21           |
|                   | SAS Hot Plug LFF (3.5-inch) Midline (MDL) Drives   |                      |
|                   | HP 8TB 12G SAS 7.2K rpm LFF (3.5-inch) SC 512e Helium 1yr Warranty Hard Drive              | 793703-B21           |
|                   | HP 6TB 12G SAS 7.2K rpm LFF (3.5-inch) SC 512e Helium 1yr Warranty Hard Drive              | 793699-B21           |
|                   | HP 6TB 12G SAS 7.2K rpm LFF (3.5-inch) SC Midline 512e 1yr Warranty Hard Drive             | 765259-B21           |
|                   | HP 6TB 6G SAS 7.2K rpm LFF (3.5-inch) SC Midline 1yr Warranty Hard Drive                   | 761477-B21           |

HP 8GB (1x8GB) Single Rank x4 DDR4-2133 CAS-15-15-15 Registered Standard



| HP 6TB 12G SAS 7.2K rpm LFF (3.5-inch) SC 512e Performance 1yr Warranty Hard Drive       | 793671-B21 |
|--|------------|
| HP 4TB 12G SAS 7.2K rpm LFF (3.5-inch) SC Midline 512e 1yr Warranty Hard Drive           | 765257-B21 |
| HP 4TB 6G SAS 7.2K rpm LFF (3.5-inch) SC Midline 1yr Warranty Hard Drive                 | 695510-B21 |
| HP 4TB 12G SAS 7.2K rpm LFF (3.5-inch) SC 512e Performance 1yr Warranty Hard Drive       | 793669-B21 |
| HP 3TB 6G SAS 7.2K rpm LFF (3.5-inch) SC Midline 1yr Warranty Hard Drive                 | 652766-B21 |
| HP 2TB 6G SAS 7.2K rpm LFF (3.5-inch) SC Midline 1yr Warranty Hard Drive                 | 652757-B21 |
| HP 1TB 6G SAS 7.2K rpm LFF (3.5-inch) SC Midline 1yr Warranty Hard Drive                 | 652753-B21 |
| SATA Hot Plug SFF (2.5-inch) Midline (MDL) Drives  |            |
| HP 2TB 6G SATA 7.2K rpm SFF (2.5-inch) SC 512e 1yr Warranty Hard Drive                   | 765455-B21 |
| HP 1TB 6G SATA 7.2K rpm SFF (2.5-inch) SC 512e 1yr Warranty Hard Drive                   | 765453-B21 |
| HP 1TB 6G SATA 7.2K rpm SFF (2.5-inch) SC Midline 1yr Warranty Hard Drive                | 655710-B21 |
| HP 500GB 6G SATA 7.2K rpm SFF (2.5-inch) SC Midline 1yr Warranty Hard Drive              | 655708-B21 |
| SATA Hot Plug LFF (3.5-inch) Midline (MDL) Drives  |            |
| HP 8TB 6G SATA 7.2K rpm LFF (3.5-inch) SC 512e Helium 1yr Warranty Hard Drive            | 793695-B21 |
| HP 6TB 6G SATA 7.2K rpm LFF (3.5-inch) SC 512e Helium 1yr Warranty Hard Drive            | 793683-B21 |
| HP 6TB 6G SATA 7.2K rpm LFF (3.5-inch) SC Midline 512e 1yr Warranty Hard Drive           | 765255-B21 |
| HP 6TB 6G SATA 7.2K rpm LFF (3.5-inch) SC Midline 1yr Warranty Hard Drive                | 753874-B21 |
| HP 6TB 6G SATA 7.2K rpm LFF (3.5-inch) SC 512e Performance 1yr Warranty Hard Drive       | 793667-B21 |
| HP 4TB 6G SATA 7.2K rpm LFF (3.5-inch) SC Midline 512e 1yr Warranty Hard Drive           | 765253-B21 |
| HP 4TB 6G SATA 7.2k rpm LFF (3.5-inch) SC Midline 1yr Warranty Hard Drive                | 693687-B21 |
| HP 4TB 6G SATA 7.2K rpm LFF (3.5-inch) SC 512e Performance 1yr Warranty Hard Drives      | 793665-B21 |
| HP 3TB 6G SATA 7.2K rpm LFF (3.5-inch) SC Midline 1yr Warranty Hard Drive                | 628061-B21 |
| HP 2TB 6G SATA 7.2K rpm LFF (3.5-inch) SC Midline 1yr Warranty Hard Drive                | 658079-B21 |
| HP 1TB 6G SATA 7.2K rpm LFF (3.5-inch) SC Midline 1yr Warranty Hard Drive                | 657750-B21 |
| HP 500GB 6G SATA 7.2K rpm LFF (3.5-inch) SC Midline 1yr Warranty Hard Drive              | 658071-B21 |
| SATA Non-Hot Plug LFF (3.5-inch) Midline (MDL) Drives                                    |            |
| HP 4TB 6G SATA 7.2K rpm LFF (3.5in) Non-hot Plug Standard 1yr Warranty Hard<br>Drive     | 801888-B21 |
| HP 3TB 6G SATA 7.2K rpm LFF (3.5-inch) Non-hot plug Midline 1yr Warranty Hard<br>Drive   | 628065-B21 |
| HP 3TB 6G SATA 7.2K rpm LFF (3.5in) Non-hot Plug Standard 1yr Warranty Hard<br>Drive     | 801886-B21 |
| HP 2TB 6G SATA 7.2K rpm LFF (3.5-inch) Non-hot plug Midline 1yr Warranty Hard<br>Drive   | 659339-B21 |
| HP 2TB 6G SATA 7.2K rpm LFF (3.5in) Non-hot Plug Standard 1yr Warranty Hard<br>Drive     | 801884-B21 |
| HP 1TB 6G SATA 7.2K rpm LFF (3.5-inch) Non-hot plug Midline 1yr Warranty Hard<br>Drive   | 659337-B21 |
| HP 1TB 6G SATA 7.2K rpm LFF (3.5in) Non-hot Plug Standard 1yr Warranty Hard<br>Drive     | 801882-B21 |
| HP 500GB 6G SATA 7.2K rpm LFF (3.5-inch) Non-hot plug Midline 1yr Warranty<br>Hard Drive | 659341-B21 |
| 12C CAC Ust Dive CEE (2 E inch) Enterprise Mainstream Colid State Drives                 |            |

12G SAS Hot Plug SFF (2.5-inch) Enterprise Mainstream Solid State Drives



| HP 1.6TB 12G SAS Mainstream Endurance SFF 2.5-in ENT Mainstream SC 3yr Wty<br>H2 Solid State Drive     | 779176-B21 |
|--|------------|
| HP 800GB 12G SAS Mainstream Endurance SFF 2.5-in ENT Mainstream SC 3yr Wty<br>H2 Solid State Drive     | 779172-B21 |
| HP 400GB 12G SAS Mainstream Endurance SFF 2.5-in ENT Mainstream SC 3yr Wty<br>H2 Solid State Drive     | 779168-B21 |
| HP 200GB 12G SAS Mainstream Endurance SFF 2.5-in ENT Mainstream SC 3yr Wty<br>H2 Solid State Drive     | 779164-B21 |
| HP 200GB 12G SAS Write Intensive SFF 2.5-in SC 3yr Wty Solid State Drive                               | 802578-B21 |
| HP 400GB 12G SAS Write Intensive SFF 2.5-in SC 3yr Wty Solid State Drive                               | 802582-B21 |
| HP 800GB 12G SAS Write Intensive SFF 2.5-in SC 3yr Wty Solid State Drive                               | 802586-B21 |
| 12G SAS Hot Plug SFF (2.5-inch) Enterprise Value Solid State Drives                                    |            |
| HP 1.6TB 12G SAS Value Endurance SFF 2.5-in SC Enterprise Value 3yr Wty Solid State Drive              | 762263-B21 |
| HP 800GB 12G SAS Value Endurance SFF 2.5-in SC Enterprise Value 3yr Wty Solid<br>State Drive           | 762261-B21 |
| HP 1.92TB 12G SAS Read Intensive SFF 2.5-in SC 3yr Wty Solid State Drive                               | 802891-B21 |
| 12G SAS Hot Plug LFF (3.5-inch) Enterprise Value Solid State Drives                                    |            |
| HP 1.6TB 12G SAS Value Endurance LFF 3.5-in SC Enterprise Value 3yr Wty Solid State Drive              | 762272-B21 |
| HP 800GB 12G SAS Value Endurance LFF 3.5-in SC Enterprise Value 3yr Wty Solid<br>State Drive           | 762270-B21 |
| 6G SATA Hot Plug SFF (2.5-inch) Enterprise Mainstream Solid State Drives                               |            |
| HP 800GB 6G SATA Mainstream Endurance SFF 2.5-in SC Enterprise Mainstream<br>3yr Wty Solid State Drive | 691868-B21 |
| HP 400GB 6G SATA Mainstream Endurance SFF 2.5-in SC Enterprise Mainstream<br>3yr Wty Solid State Drive | 691866-B21 |
| HP 200GB 6G SATA Mainstream Endurance SFF 2.5-in SC Enterprise Mainstream<br>3yr Wty Solid State Drive | 691864-B21 |
| HP 100GB 6G SATA Mainstream Endurance SFF 2.5-in SC Enterprise Mainstream<br>3yr Wty Solid State Drive | 691862-B21 |
| HP 200GB 6G SATA Write Intensive-2 SFF 2.5-in SC 3yr Wty Solid State Drive                             | 804639-B21 |
| HP 400GB 6G SATA Write Intensive-2 SFF 2.5-in SC 3yr Wty Solid State Drive                             | 804665-B21 |
| HP 800GB 6G SATA Write Intensive-2 SFF 2.5-in SC 3yr Wty Solid State Drive                             | 804671-B21 |
| HP 1.2TB 6G SATA Write Intensive-2 SFF 2.5-in SC 3yr Wty Solid State Drive                             | 804677-B21 |
| 6G SATA Hot Plug SFF (2.5-inch) Enterprise Value Solid State Drives                                    |            |
| HP 1.6TB 6G SATA Value Endurance SFF 2.5-in SC Enterprise Value 3yr Wty Solid State Drive              | 757339-B21 |
| HP 800GB 6G SATA Value Endurance SFF 2.5-in SC Enterprise Value 3yr Wty Solid<br>State Drive           | 717973-B21 |
| HP 600GB 6G SATA Value Endurance SFF 2.5-in SC Enterprise Value 3yr Wty Solid<br>State Drive           | 739898-B21 |
| HP 480GB 6G SATA Value Endurance SFF 2.5-in SC Enterprise Value 3yr Wty Solid<br>State Drive           | 717971-B21 |
| HP 300GB 6G SATA Value Endurance SFF 2.5-in SC Enterprise Value 3yr Wty Solid State Drive              | 739888-B21 |
| HP 240GB 6G SATA Value Endurance SFF 2.5-in SC Enterprise Value 3yr Wty Solid State Drive              | 717969-B21 |
| HP 240GB 6G SATA Read Intensive SFF 2.5-in SC 3yr Wty Solid State Drive                                | 789135-B21 |
|  |            |



| HP 480GB 6G SATA Read Intensive SFF 2.5-in SC 3yr Wty Solid State Drive                         | 789145-B21 |
|---|------------|
| HP 960GB 6G SATA Read Intensive SFF 2.5-in SC 3yr Wty Solid State Drive                         | 789155-B21 |
| HP 80GB 6G SATA Read Intensive-2 SFF 2.5-in SC 3yr Wty Solid State Drive                        | 804575-B21 |
| HP 120GB 6G SATA Read Intensive-2 SFF 2.5-in SC 3yr Wty Solid State Drive                       | 804581-B21 |
| HP 240GB 6G SATA Read Intensive-2 SFF 2.5-in SC 3yr Wty Solid State Drive                       | 804587-B21 |
| HP 480GB 6G SATA Read Intensive-2 SFF 2.5-in SC 3yr Wty Solid State Drive                       | 804593-B21 |
| HP 800GB 6G SATA Read Intensive-2 SFF 2.5-in SC 3yr Wty Solid State Drive                       | 804599-B21 |
| HP 1.6TB 6G SATA Read Intensive-2 SFF 2.5-in SC 3yr Wty Solid State Drive                       | 804605-B21 |
| 6G SATA Hot Plug RI-3 SFF (2.5-inch) SC Solid State Drives                                      |            |
| HP 3.84TB 6G SATA Read Intensive-3 SFF 2.5-in SC 3yr Wty Solid State Drive                      | 816929-B21 |
| HP 1.92TB 6G SATA Read Intensive-3 SFF 2.5-in SC 3yr Wty Solid State Drive                      | 816919-B21 |
| HP 960GB 6G SATA Read Intensive-3 SFF 2.5-in SC 3yr Wty Solid State Drive                       | 816909-B21 |
| HP 480GB 6G SATA Read Intensive-3 SFF 2.5-in SC 3yr Wty Solid State Drive                       | 816899-B21 |
| HP 240GB 6G SATA Read Intensive-3 SFF 2.5-in SC 3yr Wty Solid State Drive                       | 816889-B21 |
| HP 120GB 6G SATA Read Intensive-3 SFF 2.5-in SC 3yr Wty Solid State Drive                       | 816879-B21 |
| 6G SATA Hot Plug SFF Value Endurance (2.5-inch) Enterprise Value G1 Solid                       |            |
| State Drives  |            |
| HP 480GB 6G SATA Value Endurance SFF 2.5-in SC Enterprise Value 3yr Wty G1 Solid State Drive    | 756657-B21 |
| HP 240GB 6G SATA Value Endurance SFF 2.5-in SC Enterprise Value 3yr Wty G1 Solid State Drive    | 756636-B21 |
| HP 120GB 6G SATA Value Endurance SFF 2.5-in SC Enterprise Value 3yr Wty G1<br>Solid State Drive | 756621-B21 |
| 6G SATA Hot Plug SFF (2.5-inch) Enterprise Light G1 Solid State Drives                          |            |
| HP 960GB 6G SATA Light Endurance SFF 2.5-in SC Enterprise Light 3yr Wty G1<br>Solid State Drive | 756601-B21 |
| HP 200GB 6G SATA Mixed Use-2 SFF 2.5-in SC 3yr Wty Solid State Drive                            | 804613-B21 |
| HP 800GB 6G SATA Mixed Use-2 SFF 2.5-in SC 3yr Wty Solid State Drive                            | 804625-B21 |
| HP 1.6TB 6G SATA Mixed Use-2 SFF 2.5-in SC 3yr Wty Solid State Drive                            | 804631-B21 |
| HP 480GB 6G SATA Mixed Use-2 SFF 2.5-in SC 3yr Wty Solid State Drive                            | 832414-B21 |
| 6G SATA Hot Plug MU-3 SFF (2.5-inch) SC Solid State Drives                                      |            |
| HP 1.92TB 6G SATA Mixed Use-3 SFF 2.5-in SC 3yr Wty Solid State Drive                           | 817011-B21 |
| HP 960GB 6G SATA Mixed Use-3 SFF 2.5-in SC 3yr Wty Solid State Drive                            | 816995-B21 |
| HP 480GB 6G SATA Mixed Use-3 SFF 2.5-in SC 3yr Wty Solid State Drive                            | 816985-B21 |
| HP 240GB 6G SATA Mixed Use-3 SFF 2.5-in SC 3yr Wty Solid State Drive                            | 816975-B21 |
| HP 120GB 6G SATA Mixed Use-3 SFF 2.5-in SC 3yr Wty Solid State Drive                            | 816965-B21 |
| 6G SATA Hot Plug SFF Value Endurance (2.5-inch) Enterprise Value M1 Solid                       |            |
| State Drives  |            |
| HP 800GB 6G SATA Value Endurance SFF 2.5-in SC Enterprise Value 3yr Wty M1<br>Solid State Drive | 764929-B21 |
| HP 480GB 6G SATA Value Endurance SFF 2.5-in SC Enterprise Value 3yr Wty M1<br>Solid State Drive | 764927-B21 |
| HP 240GB 6G SATA Value Endurance SFF 2.5-in SC Enterprise Value 3yr Wty M1<br>Solid State Drive | 764925-B21 |
| HP 120GB 6G SATA Value Endurance SFF 2.5-in SC Enterprise Value 3yr Wty M1                      | 704000 004 |
| Solid State Drive   | 764923-B21 |

6G SATA Hot Plug SFF (2.5-inch) Enterprise Boot Solid State Drives



| HP 120GB 6G SATA Value Endurance SFF 2.5-in SC Enterprise Boot 3yr Wty Solid State Drive  | 717965-B21   |
|---|--|
| HP 80GB 6G SATA Value Endurance SFF 2.5-in SC Enterprise Boot 3yr Wty Solid State Drive   | 734360-B21   |
| 6G SATA Hot Plug LFF (3.5-inch) Enterprise Mainstream Solid State Drives  |  |
| HP 800GB 6G SATA Mainstream Endurance LFF 3.5-in SC Enterprise Mainstream<br>3yr Wty Solid State Drive  | 691860-B21   |
| HP 400GB 6G SATA Mainstream Endurance LFF 3.5-in SC Enterprise Mainstream<br>3yr Wty Solid State Drive  | 691856-B21   |
| HP 200GB 6G SATA Mainstream Endurance LFF 3.5-in SC Enterprise Mainstream<br>3yr Wty Solid State Drive  | 691854-B21   |
| HP 100GB 6G SATA Mainstream Endurance LFF 3.5-in SC Enterprise Mainstream<br>3yr Wty Solid State Drive  | 691852-B21   |
| HP 200GB 6G SATA Write Intensive-2 LFF 3.5-in SCC 3yr Wty Solid State Drive   | 804642-B21   |
| HP 400GB 6G SATA Write Intensive-2 LFF 3.5-in SCC 3yr Wty Solid State Drive   | 804668-B21   |
| HP 800GB 6G SATA Write Intensive-2 LFF 3.5-in SCC 3yr Wty Solid State Drive   | 804674-B21   |
| HP 1.2TB 6G SATA Write Intensive 2 LFF 3.5-in SCC 3yr Wty Solid State Drive   | 804680-B21   |
|   | 00400U-DZ I  |
| 6G SATA Hot Plug LFF Value Endurance (3.5-inch) Converter Enterprise Value G1 Solid State Drives  |  |
| HP 480GB 6G SATA Value Endurance LFF 3.5-in SC Converter ENT Value 3yr Wty G1<br>Solid State Drive  | 756660-B21   |
| HP 240GB 6G SATA Value Endurance LFF 3.5-in SC Converter ENT Value 3yr Wty G1 Solid State Drive   | 756639-B21   |
| HP 120GB 6G SATA Value Endurance LFF 3.5-in SC Converter ENT Value 3yr Wty G1   | 756624-B21   |
| Solid State Drive   |  |
| 6G SATA Hot Plug LFF Value Endurance (3.5-inch) Converter Enterprise Value M1 Solid State Drives  |  |
| 6G SATA Hot Plug LFF Value Endurance (3.5-inch) Converter Enterprise Value M1   | 764945-B21   |
| 6G SATA Hot Plug LFF Value Endurance (3.5-inch) Converter Enterprise Value M1<br>Solid State Drives<br>HP 800GB 6G SATA Value Endurance LFF 3.5-in SC Converter ENT Value 3yr Wty   | 764945-B21<br>764943-B21   |
| 6G SATA Hot Plug LFF Value Endurance (3.5-inch) Converter Enterprise Value M1<br>Solid State Drives<br>HP 800GB 6G SATA Value Endurance LFF 3.5-in SC Converter ENT Value 3yr Wty<br>M1 Solid State Drive<br>HP 480GB 6G SATA Value Endurance LFF 3.5-in SC Converter ENT Value 3yr Wty   |  |
| 6G SATA Hot Plug LFF Value Endurance (3.5-inch) Converter Enterprise Value M1<br>Solid State Drives<br>HP 800GB 6G SATA Value Endurance LFF 3.5-in SC Converter ENT Value 3yr Wty<br>M1 Solid State Drive<br>HP 480GB 6G SATA Value Endurance LFF 3.5-in SC Converter ENT Value 3yr Wty<br>M1 Solid State Drive<br>HP 240GB 6G SATA Value Endurance LFF 3.5-in SC Converter ENT Value 3yr Wty   | 764943-B21   |
| 6G SATA Hot Plug LFF Value Endurance (3.5-inch) Converter Enterprise Value M1<br>Solid State Drives  HP 800GB 6G SATA Value Endurance LFF 3.5-in SC Converter ENT Value 3yr Wty M1 Solid State Drive  HP 480GB 6G SATA Value Endurance LFF 3.5-in SC Converter ENT Value 3yr Wty M1 Solid State Drive  HP 240GB 6G SATA Value Endurance LFF 3.5-in SC Converter ENT Value 3yr Wty M1 Solid State Drive  HP 120GB 6G SATA Value Endurance LFF 3.5-in SC Converter ENT Value 3yr Wty  | 764943-B21<br>764941-B21   |
| 6G SATA Hot Plug LFF Value Endurance (3.5-inch) Converter Enterprise Value M1<br>Solid State Drives<br>HP 800GB 6G SATA Value Endurance LFF 3.5-in SC Converter ENT Value 3yr Wty<br>M1 Solid State Drive<br>HP 480GB 6G SATA Value Endurance LFF 3.5-in SC Converter ENT Value 3yr Wty<br>M1 Solid State Drive<br>HP 240GB 6G SATA Value Endurance LFF 3.5-in SC Converter ENT Value 3yr Wty<br>M1 Solid State Drive<br>HP 120GB 6G SATA Value Endurance LFF 3.5-in SC Converter ENT Value 3yr Wty<br>M1 Solid State Drive   | 764943-B21<br>764941-B21   |
| 6G SATA Hot Plug LFF Value Endurance (3.5-inch) Converter Enterprise Value M1 Solid State Drives  HP 800GB 6G SATA Value Endurance LFF 3.5-in SC Converter ENT Value 3yr Wty M1 Solid State Drive  HP 480GB 6G SATA Value Endurance LFF 3.5-in SC Converter ENT Value 3yr Wty M1 Solid State Drive  HP 240GB 6G SATA Value Endurance LFF 3.5-in SC Converter ENT Value 3yr Wty M1 Solid State Drive  HP 120GB 6G SATA Value Endurance LFF 3.5-in SC Converter ENT Value 3yr Wty M1 Solid State Drive  6G SATA Hot Plug LFF (3.5-inch) Enterprise Value Solid State Drives  HP 1.6TB 6G SATA Value Endurance LFF 3.5-in SC Converter Enterprise Value 3yr  | 764943-B21<br>764941-B21<br>764939-B21   |
| 6G SATA Hot Plug LFF Value Endurance (3.5-inch) Converter Enterprise Value M1 Solid State Drives HP 800GB 6G SATA Value Endurance LFF 3.5-in SC Converter ENT Value 3yr Wty M1 Solid State Drive HP 480GB 6G SATA Value Endurance LFF 3.5-in SC Converter ENT Value 3yr Wty M1 Solid State Drive HP 240GB 6G SATA Value Endurance LFF 3.5-in SC Converter ENT Value 3yr Wty M1 Solid State Drive HP 120GB 6G SATA Value Endurance LFF 3.5-in SC Converter ENT Value 3yr Wty M1 Solid State Drive 6G SATA Hot Plug LFF (3.5-inch) Enterprise Value Solid State Drives HP 1.6TB 6G SATA Value Endurance LFF 3.5-in SC Converter Enterprise Value 3yr Wty Solid State Drive HP 800GB 6G SATA Value Endurance LFF 3.5-in SC Enterprise Value 3yr Wty Solid  | 764943-B21<br>764941-B21<br>764939-B21<br>757342-B21   |
| 6G SATA Hot Plug LFF Value Endurance (3.5-inch) Converter Enterprise Value M1 Solid State Drives  HP 800GB 6G SATA Value Endurance LFF 3.5-in SC Converter ENT Value 3yr Wty M1 Solid State Drive  HP 480GB 6G SATA Value Endurance LFF 3.5-in SC Converter ENT Value 3yr Wty M1 Solid State Drive  HP 240GB 6G SATA Value Endurance LFF 3.5-in SC Converter ENT Value 3yr Wty M1 Solid State Drive  HP 120GB 6G SATA Value Endurance LFF 3.5-in SC Converter ENT Value 3yr Wty M1 Solid State Drive  6G SATA Hot Plug LFF (3.5-inch) Enterprise Value Solid State Drives  HP 1.6TB 6G SATA Value Endurance LFF 3.5-in SC Converter Enterprise Value 3yr Wty Solid State Drive  HP 800GB 6G SATA Value Endurance LFF 3.5-in SC Enterprise Value 3yr Wty Solid State Drive  HP 600GB 6G SATA Value Endurance LFF 3.5-in SC Conveter Enterprise Value 3yr   | 764943-B21<br>764941-B21<br>764939-B21<br>757342-B21<br>718189-B21                             |
| GG SATA Hot Plug LFF Value Endurance (3.5-inch) Converter Enterprise Value M1 Solid State Drives HP 800GB 6G SATA Value Endurance LFF 3.5-in SC Converter ENT Value 3yr Wty M1 Solid State Drive HP 480GB 6G SATA Value Endurance LFF 3.5-in SC Converter ENT Value 3yr Wty M1 Solid State Drive HP 240GB 6G SATA Value Endurance LFF 3.5-in SC Converter ENT Value 3yr Wty M1 Solid State Drive HP 120GB 6G SATA Value Endurance LFF 3.5-in SC Converter ENT Value 3yr Wty M1 Solid State Drive GG SATA Hot Plug LFF (3.5-inch) Enterprise Value Solid State Drives HP 1.6TB 6G SATA Value Endurance LFF 3.5-in SC Converter Enterprise Value 3yr Wty Solid State Drive HP 800GB 6G SATA Value Endurance LFF 3.5-in SC Enterprise Value 3yr Wty Solid State Drive HP 600GB 6G SATA Value Endurance LFF 3.5-in SC Conveter Enterprise Value 3yr Wty Solid State Drive HP 480GB 6G SATA Value Endurance LFF 3.5-in SC Conveter Enterprise Value 3yr Wty Solid State Drive  | 764943-B21<br>764941-B21<br>764939-B21<br>757342-B21<br>718189-B21<br>739900-B21               |
| GG SATA Hot Plug LFF Value Endurance (3.5-inch) Converter Enterprise Value M1 Solid State Drives HP 800GB 6G SATA Value Endurance LFF 3.5-in SC Converter ENT Value 3yr Wty M1 Solid State Drive HP 480GB 6G SATA Value Endurance LFF 3.5-in SC Converter ENT Value 3yr Wty M1 Solid State Drive HP 240GB 6G SATA Value Endurance LFF 3.5-in SC Converter ENT Value 3yr Wty M1 Solid State Drive HP 120GB 6G SATA Value Endurance LFF 3.5-in SC Converter ENT Value 3yr Wty M1 Solid State Drive GG SATA Hot Plug LFF (3.5-inch) Enterprise Value Solid State Drives HP 1.6TB 6G SATA Value Endurance LFF 3.5-in SC Converter Enterprise Value 3yr Wty Solid State Drive HP 800GB 6G SATA Value Endurance LFF 3.5-in SC Enterprise Value 3yr Wty Solid State Drive HP 600GB 6G SATA Value Endurance LFF 3.5-in SC Conveter Enterprise Value 3yr Wty Solid State Drive HP 480GB 6G SATA Value Endurance LFF 3.5-in SC Enterprise Value 3yr Wty Solid State Drive HP 480GB 6G SATA Value Endurance LFF 3.5-in SC Enterprise Value 3yr Wty Solid State Drive HP 300GB 6G SATA Value Endurance LFF 3.5-in SC Enterprise Value 3yr Wty Solid State Drive | 764943-B21<br>764941-B21<br>764939-B21<br>757342-B21<br>718189-B21<br>739900-B21<br>718183-B21 |



| HP 480GB 6G SATA Read Intensive LFF 3.5-in SC Converter 3yr Wty Solid State Drive                  | 789147-B21 |
|--|------------|
| HP 960GB 6G SATA Read Intensive LFF 3.5-in SC Converter 3yr Wty Solid State Drive                  | 789157-B21 |
| HP 80GB 6G SATA Read Intensive-2 LFF 3.5-in SCC 3yr Wty Solid State Drive                          | 804578-B21 |
| HP 120GB 6G SATA Read Intensive-2 LFF 3.5-in SCC 3yr Wty Solid State Drive                         | 804584-B21 |
| HP 240GB 6G SATA Read Intensive-2 LFF 3.5-in SCC 3yr Wty Solid State Drive                         | 804590-B21 |
| HP 480GB 6G SATA Read Intensive-2 LFF 3.5-in SCC 3yr Wty Solid State Drive                         | 804596-B21 |
| HP 800GB 6G SATA Read Intensive-2 LFF 3.5-in SCC 3yr Wty Solid State Drive                         | 804602-B21 |
| HP 1.6TB 6G SATA Read Intensive-2 LFF 3.5-in SCC 3yr Wty Solid State Drive                         | 804608-B21 |
| 6G SATA Hot Plug LFF (3.5-inch) RI-3 SCC SSD   |            |
| HP 3.84TB 6G SATA Read Intensive-3 LFF 3.5-in SC Converter 3yr Wty Solid State Drive               | 816933-B21 |
| HP 1.92TB 6G SATA Read Intensive-3 LFF 3.5-in SC Converter 3yr Wty Solid State Drive               | 816923-B21 |
| HP 960GB 6G SATA Read Intensive-3 LFF 3.5-in SC Converter 3yr Wty Solid State Drive                | 816913-B21 |
| HP 480GB 6G SATA Read Intensive-3 LFF 3.5-in SC Converter 3yr Wty Solid State Drive                | 816903-B21 |
| HP 240GB 6G SATA Read Intensive-3 LFF 3.5-in SC Converter 3yr Wty Solid State Drive                | 816893-B21 |
| HP 120GB 6G SATA Read Intensive-3 LFF 3.5-in SC Converter 3yr Wty Solid State Drive                | 816883-B21 |
| 6G SATA Hot Plug LFF (3.5-inch) Enterprise Light G1 Solid State Drives                             |            |
| HP 960GB 6G SATA Light Endurance LFF 3.5-in SC Converter ENT Light 3yr Wty G1<br>Solid State Drive | 756604-B21 |
| HP 200GB 6G SATA Mixed Use-2 LFF 3.5-in SCC 3yr Wty Solid State Drive                              | 804616-B21 |
| HP 800GB 6G SATA Mixed Use-2 LFF 3.5-in SCC 3yr Wty Solid State Drive                              | 804628-B21 |
| HP 1.6TB 6G SATA Mixed Use-2 LFF 3.5-in SCC 3yr Wty Solid State Drive                              | 804634-B21 |
| HP 480GB 6G SATA Mixed Use-2 LFF 3.5-in SCC 3yr Wty Solid State Drive                              | 832417-B21 |
| 6G SATA Hot Plug LFF (3.5-inch) MU-3 SCC SSD   |            |
| HP 1.92TB 6G SATA Mixed Use-3 LFF 3.5-in SC Converter 3yr Wty Solid State Drive                    | 817015-B21 |
| HP 960GB 6G SATA Mixed Use-3 LFF 3.5-in SC Converter 3yr Wty Solid State Drive                     | 816999-B21 |
| HP 480GB 6G SATA Mixed Use-3 LFF 3.5-in SC Converter 3yr Wty Solid State Drive                     | 816989-B21 |
| HP 240GB 6G SATA Mixed Use-3 LFF 3.5-in SC Converter 3yr Wty Solid State Drive                     | 816979-B21 |
| HP 120GB 6G SATA Mixed Use-3 LFF 3.5-in SC Converter 3yr Wty Solid State Drive                     | 816969-B21 |
| 6G SATA Hot Plug LFF (3.5-inch) Enterprise Boot Solid State Drives                                 | _          |
| HP 120GB 6G SATA Value Endurance LFF 3.5-in SC Enterprise Boot 3yr Wty Solid State Drive           | 718171-B21 |
| HP 80GB 6G SATA Value Endurance LFF 3.5-in SC Enterprise Boot 3yr Wty Solid State Drive            | 734362-B21 |
| M.2 SSD  |            |
| HP Dual 120GB Value Endurance Solid State M.2 Enablement Kit for ProLiant ML/DL Servers            | 777894-B21 |
| HP 120GB Value Endurance Solid State M.2 Enablement Kit for ProLiant ML/DL Servers                 | 788028-B21 |
| NOTE: M.2 drives go in PCIe slot and use B140i SATA controller only.                               |            |

**Hard Drive Blank Kits** 

Core Options

|                   | HP Large Form Factor Hard Drive Blank Kit   | 666986-B21 |
|-------------------|---|------------|
|                   | HP Small Form Factor Hard Drive Blank Kit   | 666987-B21 |
|                   | Hard Drive Kits   |            |
|                   | HP DL180 Gen9 8SFF Hard Drive Cage/Backplane Kit  | 725572-B21 |
|                   | HP DL180 Gen9 12LFF Hot Plug Enablement Kit   | 725574-B21 |
| HP Networking     | 1 Gigabit Ethernet adapters   |            |
|                   | HP Ethernet 1Gb 4-port 331T Adapter   | 647594-B21 |
|                   | HP Ethernet 1Gb 2-port 332T Adapter   | 615732-B21 |
|                   | HP Ethernet 1Gb 2-port 361T Adapter   | 652497-B21 |
|                   | HP Ethernet 1Gb 4-port 366T Adapter   | 811546-B21 |
|                   | 10 Gigabit Ethernet adapters  |            |
|                   | HP Ethernet 10Gb 2-port 530SFP Adapter  | 652503-B21 |
|                   | HP Ethernet 10Gb 2-port 530T Adapter  | 656596-B21 |
|                   | HP Ethernet 10Gb 2-port 561T Adapter  | 716591-B21 |
|                   | HP Ethernet 10Gb 2-port 560SFP+ Adapter   | 665249-B21 |
|                   | HP Ethernet 10Gb 2-port 546SFP+ Adapter   | 779793-B21 |
|                   | FlexibleLOM Adapters  |            |
|                   | HP Ethernet 1Gb 4-port 331FLR Adapter   | 629135-B22 |
|                   | HP Ethernet 1Gb 4-port 366FLR Adapter   | 665240-B21 |
|                   | HP Ethernet 10Gb 2-port 561FLR-T Adapter  | 700699-B21 |
|                   | HP FlexFabric 10Gb 2-port 534FLR-SFP+ Adapter   | 700751-B21 |
|                   | HP FlexFabric 10Gb 2-port 533FLR-T Adapter  | 700759-B21 |
|                   | HP Ethernet 10Gb 2-port 546FLR-SFP+ Adapter   | 779799-B21 |
|                   | HP Ethernet 10Gb 2-port 560FLR-SFP+ Adapter   | 665243-B21 |
| HP InfiniBand     | HP InfiniBand FDR 2-port 545QSFP Adapter  | 702211-B21 |
|                   | HP InfiniBand FDR/Ethernet 10Gb/40Gb 2-port 544+FLR-QSFP Adapter  | 764285-B21 |
|                   | HP InfiniBand FDR/Ethernet 10Gb/40Gb 2-port 544+QSFP Adapter  | 764284-B21 |
|                   | HP InfiniBand QDR/Ethernet 10Gb 2-port 544+FLR-QSFP Adapter   | 764286-B21 |
| HP I/O Expansion  | HP DL180 Gen9 3 Slot x8 PCI-E Riser Kit   | 725569-B21 |
| Options           | HP DL180 Gen9 x16 PCI-E Riser Kit   | 725570-B21 |
|                   | HP DL180 Gen9 FlexibleLOM Enablement Kit  | 780965-B21 |
| HP Power Supplies | HP Entry-Level Power Supplies   |            |
|                   | HP 800W Gold (Redundant)/900W (Non-Redundant) AC Power Input Module  NOTE: HP Server RPS Backplane Kit (P/N: 745813-B21) is required for this power supply.                     | 744689-B21 |
|                   | <b>NOTE:</b> Up to two of these option kits can be selected in one system. <b>NOTE:</b> This kit is only available as option kit and cannot be factory installed in the server. |            |
|                   | <b>NOTE:</b> With just one power supply module installed, up to 900W wattage is supported while with both power supply modules installed in RPS mode, up to 800W is supported   |            |
|                   | HP Server Redundant Power Supply Backplane Kit  | 745813-B21 |
|                   |   |            |

## **Core Options**

**NOTE:** This kit is only available as option kit and cannot be factory installed in the

**NOTE:** The above power supply option is 80Plus Gold-certified with an efficiency rating of up to 92%. Each power backplane kit (745813-B21) can support up to two (2) AC power input modules (744689-B21). Power specifications and technical content for all HP Server power supplies can be found at http://www.hp.com/go/proliant/powersupply.

## **HP Computation** and Graphics **Accelerators**

HP NVIDIA Quadro K2200 Graphics Accelerator HP NVIDIA Quadro K4200 Graphics Accelerator JOG89A JOG90A

NOTE: 1 Graphics Adapter Kit 725576-B21 must be selected per K4200.

HP DL180 Gen9 Graphic Card Adapter Kit

725576-B21

**NOTE:** Must select 2 processor if 2 graphic cards are selected.

NOTE: Must select 800W Gold (redundant)/900W non-redundant power supply when 2 graphic cards are selected.

**NOTE:** Only the above listed Graphics cards are HP standard supported options in this server.

NOTE: The NVIDIA Quadro modules are supported only on 64-bit versions of Linux and Windows operating systems as well as on Virtual Machine client operating systems. The supported bare metal operating systems are RHEL6, SLES 11 and Windows Server 2012 R2.

NOTE: Please see the HP Power Advisor for estimated power consumption of your individual system configuration prior to installing GPUs. The HP Power Advisor is located at:

http://www.hp.com/go/hppoweradvisor.

HP Cooling Options HP DL180 Gen9 Redundant Fan Kit

725571-B21

**NOTE:** Customers can upgrade to a redundant fan configuration with the purchase of above option kit (contains 2 Fans).



**NOTE:** Some options may not be integrated at the factory. To ensure only valid configurations are ordered, HP recommends the use of an HP approved configurator. Contact your local sales representative for additional information.

| Embedded   |
|------------|
| Management |

| HP iLO Advanced  |            |
|--|------------|
| HP iLO Advanced including 1yr 24x7 Technical Support and Updates Single Server                     | 512485-B21 |
| License  |            |
| HP iLO Advanced 1 Server License with 3yr 24x7 Tech Support and Updates                            | BD505A     |
| HP iLO Advanced including 1yr 24x7 Technical Support and Updates E-LTU                             | E6U59ABE   |
| HP iLO Advanced including 3yr 24x7 Technical Support and Updates E-LTU                             | E6U64ABE   |
| HP iLO Essentials  |            |
| HP Integrated Lights-Out Essentials including 3yr 24x7 Tech Support and Updates Single Svr License | BD774A     |
| HP Integrated Lights-Out Essentials including 1yr 24x7 Tech Support and Updates Single Svr License | BD775A     |
| HP Integrated Lights-Out Essentials including 3yr 24x7 Technical Support and Updates E-LTU         | E6U61ABE   |
| HP Integrated Lights-Out Essentials including 1yr 24x7 Technical Support and Updates E-LTU         | E6U62ABE   |
| HP iLO Scale-out   |            |
| HP Integrated Lights-Out Scale-Out 3yr 24x7 Tech Support and Updates Flex Quantity License         | BD776A     |
| HP Integrated Lights-Out Scale-Out including 3yr 24x7 Tech Support and Updates Flex Qty E-LTU      | BD776AAE   |
| HP Integrated Lights-Out Scale-Out including 3yr 24x7 Tech Support and Updates Tracking License    | BD777A     |
| HP Integrated Lights-Out Scale-Out 1yr 24x7 Tech Support and Updates Flex Quantity License         | BD778A     |
| HP Integrated Lights-Out Scale-Out including 1yr 24x7 Tech Support and Updates Flex Qty E-LTU      | BD778AAE   |
| HP Integrated Lights-Out Scale-Out including 1yr 24x7 Tech Support and Updates Tracking License    | BD779A     |

## HP Converged Infrastructure Management Software

## HP OneView Advanced (with HP iLO Advanced)

| HP OneView incl 3yr 24x7 Supp Phys 1 Svr Lic | E5Y34A   |
|--|----------|
| HP OneView incl 3yr 24x7 Supp Flex Qty E-LTU | E5Y35AAE |

## **HP OneView Advanced (without HP iLO Advanced)**

| HP OneView w/o iLO including 3yr 24x7 Support 1 Server LTU        | P8B24A   |
|---|----------|
| HP OneView w/o iLO including 3yr 24x7 Support Flex Quantity E-LTU | P8B26AAE |
| HP OneView w/o iLO Adv incl 3yr 24x7 Supp Phys 1 Svr Lic          | E5Y38A   |
| HP OneView w/o iLO Adv inc 3yr 24x7 Supp Flex Qty E-LTU           | E5Y39AAE |
| HP OneView Media Kit Phys No Lic                                  | E5Y37A   |
| HP Operations Analytics for HP OneView LTU                        | K8G29A   |
| HP Operations Analytics for HP OneView E-LTU                      | K8G29AAE |

**NOTE:** Full licenses of HP OneView Advanced also provide the right-to-use HP Insight Control without additional charge.

**NOTE:** Server provisioning (via 'HP Insight Control server provisioning') is licensed as part of HP OneView Advanced and provides multi-server OS and driver provisioning. Media kit #BD883A can be ordered for a physical copy of this software (USB flash drive).

**NOTE:** Licenses ship without media. The HP OneView Media Kit can be ordered separately, or can be downloaded at: http://www.hp.com/go/oneview.

**NOTE:** Electronic and Flexible-Quantity licenses can be used to purchase multiple licenses with a single activation key.

## **Additional Options**

| High  | Performance |
|-------|-------------|
| Clust | ers         |

## **HP Cluster Management Utility**

HP Insight Cluster Management Utility 1yr 24x7 Flexible License QL803B HP Insight Cluster Management Utility 3yr 24x7 Flexible License **BD476A** 

**NOTE:** These part numbers can be used to purchase one certificate for multiple licenses and support with a single activation key. Each license is for one node (server). Customer will receive a printed end user license agreement and license entitlement certificate via physical shipment. The license entitlement certificate must be redeemed online in order to obtain a license key. Customer also will receive a support agreement.

HP Insight Cluster Management Utility Media

**NOTE:** For additional license kits please see the QuickSpecs at:

http://h18004.www1.hp.com/products/quickspecs/12612\_na/12612\_na.html.

**HP PCIe Workload** Accelerator **Options** 

#### Value Endurance (VE) PCIe Workload Accelerators

| HP 6.4TB FH/HL Value Endurance (VE) PCIe Workload Accelerator | 763840-B21 |
|---|------------|
| HP 3.2TB HH/HL Value Endurance (VE) PCIe Workload Accelerator | 763838-B21 |
| HP 1.6TB HH/HL Value Endurance (VE) PCIe Workload Accelerator | 763836-B21 |
| HP 1.3TB HH/HL Value Endurance (VE) PCIe Workload Accelerator | 763834-B21 |
| Light Endurance (LE) PCIe Workload Accelerators               |            |
| HP 5.2TB FH/HL Light Endurance (LE) PCIe Workload Accelerator | 775672-B21 |

HP 2.6TB HH/HL Light Endurance (LE) PCIe Workload Accelerator 775670-B21 HP 1.3TB HH/HL Light Endurance (LE) PCIe Workload Accelerator 775668-B21 HP 1.0TB HH/HL Light Endurance (LE) PCIe Workload Accelerator 775666-B21

**NOTE:** Please see the QuickSpecs for Technical Specifications and additional information:

http://h18000.www1.hp.com/products/quickspecs/14528 na/14528 na.html

**HP Security** 

**HP 2U Security Bezel Kit** 

666988-B21

**NOTE:** Quick Release Ear option kit (P/N 725579-B21) is required for installing security bezel.

**HP Trusted Platform Module Option** 

488069-B21

**BD477A** 

**NOTE:** The TPM (Trusted Platform Module) is a microcontroller chip that can securely store artifacts used to authenticate the server platform. These artifacts can include passwords, certificates and encryption keys. Windows® BitLocker™ Drive Encryption (BitLocker) is a data protection feature available in Windows Server® 2008. BitLocker leverages the enhanced security capabilities of a Trusted Platform Module (TPM) version 1.2. The TPM works with BitLocker to help protect user data and to ensure that a server running Windows Server 2008 has not been tampered with while the system was offline. For more information about TPM, including a white paper, go to: http://www.hp.com/go/TPM.

**NOTE:** ProLiant OS pre-installed units will come with the partition required for TPM deployment. **NOTE:** The TPM key is unique to every TPM deployed server and must be retained. Misplacing or losing the key could result in data loss.

**HP Storage Controllers** 

#### **SAS Controllers**

## **HP Smart Array Controllers**

| HP Smart Array P440/2GB FBWC 12Gb 1-port Int SAS Controller  | 820834-B21 |
|--|------------|
| HP Smart Array P440/4GB FBWC 12Gb 1-port Int SAS Controller  | 726821-B21 |
| HP Smart Array P840/4GB FBWC 12Gb 2-ports Int SAS Controller | 726897-B21 |
| HP Smart Array P841/4GB FBWC 12Gb 4-ports Ext SAS Controller | 726903-B21 |
| HP Smart Array P441/4GB FBWC 12Gb 2-ports Ext SAS Controller | 726825-B21 |

**HP Smart Host Bus Adapters** 

HP H240 12Gb 2-ports Int Smart Host Bus Adapter 726907-B21



**HP Tape Backup** 

**HP Disk Backup** 

HP D3600 Enclosure

| UIIS  |                      |
|---|----------------------|
| HP H241 12Gb 2-ports Ext Smart Host Bus Adapter   | 726911-B21           |
| HP Cable Options  |                      |
| HP DL180 Gen9 8LFF Smart Array Cable Kit  | 725577-B21           |
| HP DL180 Gen9 8SFF Smart Array Cable Kit  | 725578-B21           |
| NOTE: One of the above cables is required to be selected depending on the combin                                | nation of server and |
| storage controller. Cable option kit descriptions include the right server and stora names.                     |                      |
| NOTE: NHP server includes SATA cables required to connect drives to embedded B                                  | 110i CΔTΔ            |
| controller.   | 14013A1A             |
| Optional Upgrades   |                      |
| HP 96W Smart Storage Battery with 145mm Cable for DL/ML/SL Servers  | 727258-B21           |
| <b>NOTE:</b> This option is mandatorily required with HP Smart Array controllers. One                           |                      |
| server can accommodate only 1 Smart Storage Battery that would suffice the                                      |                      |
| requirement of all HP Smart Array controllers.  |                      |
| HP SmartCache No Media 24x7 Technical Support 1 Svr License   | D7S26A               |
| HP SmartCache No Media 24x7 Technical Support Flexible License  | D7S27A               |
| HP SmartCache No Media 24x7 Technical Support Electronic License  | D7S27AAE             |
| HP Secure Encryption No Media Flexible License per Drive  | D8S84A               |
| HP Secure Encryption No Media E-LTU per Drive   | D8S85AAE             |
| NOTE: For Internal drives to be connected to DL servers please make sure that yo well.  Tape Libraries          |                      |
| HP MSL2024 0-Drive Tape Library   | AK379A               |
| HP MSL4048 0-Drive Tape Library   | AK381A               |
| Tape Drives   | FU0.544              |
| HP StoreEver LTO-6 Ultrium 6650 SAS External Tape Drive   | EH964A               |
| HP StoreEver LTO-6 Ultrium 6250 External Tape Drive   | EH970A               |
| HP StoreEver LTO-5 Ultrium 3000 SAS External Tape Drive   | EH958B               |
| HP StoreEver LTO-5 Ultrium 3280 SAS External Tape Drive HP StoreEver LTO-4 Ultrium 1760 SAS External Tape Drive | EH900B<br>EH920B     |
| HP StoreEver LTO-3 Ultrium 920 SAS External Tape Drive  | EH848B               |
| HP Tape Storage Systems   | LIIOTOD              |
| HP StoreEver 1U SAS Rack-mount Kit  | AE459B               |
| HP StoreEver LTO-4 Ultrium 1760 SAS (1) in 1U Rack-mount Kit  | EH946C               |
| HP StoreEver LTO-5 Ultrium 3280 SAS Tape Drive in 3U Rack-mount   | EJ013B               |
| HP StoreEver LTO-5 Ultrium 3000 SAS Tape Drive in 1U Rack-mount   | EJ014B               |
| HP StoreEver LTO-6 Ultrium 6250 Tape Drive in 1U Rack-mount Kit   | COL99A               |
| HP StoreEver 1/8 G2 LTO-6 Ultrium 6250 FC Tape Autoloader   | COH19A               |
| HP StoreEver MSL6480  |                      |
| HP StoreEver MSL6480 Scalable Base Module   | QU625A               |
| HP StoreEver MSL6480 Scaleable Expansion Module   | QU626A               |
|   |                      |
| HP RDX Removable Disk Backup System   |                      |
| HP RDX320 USB3.0 External Disk Backup System  | B7B63A               |
| HP D3700 Enclosure  | QW967A               |
|   |                      |

QW968A

## **Additional Options**

|                   | LID DDV L FOOCD Fytograph Dackup Cystom                                     | B7B66B |
|-------------------|---|--------|
|                   | HP RDX+ 500GB External Backup System HP RDX+ 1TB External Backup System     | B7B69B |
|                   | HP RDX+ External Docking System   | C8S07B |
|                   | HP RDX 2TB USB3.0 External Disk Backup System                               | E7X53B |
|                   | THE NUMBER OF USE OF THE PARK BUCKUP SYSTEM                                 |        |
| HP Storage Option | s Emulex Fibre Channel HBAs   |        |
|                   | HP 81E 8Gb 1-port PCIe Fibre Channel Host Bus Adapter                       | AJ762B |
|                   | HP 82E 8Gb 2-port PCIe Fibre Channel Host Bus Adapter                       | AJ763B |
|                   | HP StoreFabric SN1100E 16Gb Single Port Fibre Channel Host Bus Adapter      | C8R38A |
|                   | HP StoreFabric SN1100E 16Gb Dual Port Fibre Channel Host Bus Adapter        | C8R39A |
|                   | QLogic Fibre Channel HBAs   |        |
|                   | HP 82Q 8Gb 2-port PCIe Fibre Channel Host Bus Adapter                       | AJ764A |
|                   | HP 81Q 8Gb 1-port PCIe Fibre Channel Host Bus Adapter                       | AK344A |
|                   | HP StoreFabric SN1000Q 16GB 1-port PCIe Fibre Channel Host Bus Adapter      | QW971A |
|                   | HP StoreFabric SN1000Q 16GB 2-port PCIe Fibre Channel Host Bus Adapter      | QW972A |
|                   | Converged Network Adapter   |        |
|                   | HP StoreFabric CN1200E 10Gb Converged Network Adapter                       | E7Y06A |
|                   | HP StoreFabric CN1100R Dual Port Converged Network Adapter                  | QW990A |
| HP Disk Storage   | Disk Enclosures   |        |
| Systems           | HP D6000 Dual I/O Module Disk Enclosure                                     | QQ695A |
|                   | HP D6000 w/35 4TB 6G SAS 7.2K LFF Dual Port MDL HDD 140TB Bundle            | E7W30A |
|                   | HP D6000 w/70 4TB 6G SAS 7.2K LFF Dual Port MDL HDD 280TB Bundle            | E7W31A |
|                   | HP D6000 w/70 3TB 6G SAS 7.2K LFF Dual port MDL HDD 210TB Bundle            | QQ700A |
|                   | HP D6000 w/70 2TB 6G SAS 7.2K LFF Dual port MDL HDD 140TB Bundle            | QQ698A |
|                   | HP D6000 w/35 3TB 6G SAS 7.2K LFF Dual port MDL HDD 105TB Bundle            | QQ699A |
|                   | HP D6000 w/35 2TB 6G SAS 7.2K LFF Dual port MDL HDD 70TB Bundle             | QQ697A |
|                   | HP D2600 w/12 4TB 6G SAS 7.2K LFF Dual Port MDL HDD 48TB Bundle             | E7W32A |
|                   | HP D6000 w/70 8TB 12G SAS 7.2K LFF (3.5in) Dual Port MDL HDD 560TB Bundle   | MOT59A |
|                   | HP D6000 w/70 6TB 12G SAS 7.2K LFF (3.5in) Dual Port MDL HDD 420TB Bundle   | MOT57A |
|                   | HP D6000 w/35 8TB 12G SAS 7.2K LFF (3.5in) Dual Port MDL HDD 280TB Bundle   | MOT58A |
| IP Data Center    | HP 11000 G2 Series Racks  |        |
| Racks             | HP 11648 1075mm Pallet Universal Rack                                       | H6J87A |
|                   | HP 11648 1075mm Shock Universal Rack  | H6J88A |
|                   | HP 11642 1075mm Pallet Universal Rack                                       | H6J65A |
|                   | HP 11642 1075mm Shock Universal Rack  | H6J66A |
|                   | HP 11642 1200mm Pallet Universal Rack                                       | H6J67A |
|                   | HP 11642 1200mm Shock Universal Rack  | H6J68A |
|                   | HP 11636 1075mm Pallet Universal Rack                                       | H6J77A |
|                   | HP 11636 1075mm Shock Universal Rack  | H6J78A |
|                   | HP 11622 G2 1075mm Pallet Universal Rack                                    | H6J83A |
|                   | HP 11622 G2 1075mm Shock Universal Rack                                     | H6J84A |
|                   | HP 11614 1075mm Shock Universal Rack  | H6J82A |
|                   | NOTE: Please see the HP 11000 G2 Series Racks QuickSpecs for information on |        |
|                   | additional racks options and rack specifications.                           |        |
|                   | HP Intelligent Series Rack  |        |
|                   | HP 647 1075mm Pallet Intelligent Series Rack                                | BW911A |
|                   | HP 647 1075mm Shock Intelligent Series Rack                                 | BW912A |



| HP 647 1200mm Pallet Intelligent Series Rack  | BW913A |
|---|--------|
| HP 647 1200mm Shock Intelligent Series Rack   | BW914A |
| HP 642 1075mm Pallet Intelligent Series Rack  | BW903A |
| HP 642 1075mm Shock Intelligent Series Rack   | BW904A |
| HP 642 1200mm Pallet Intelligent Series Rack  | BW907A |
| HP 642 1200mm Shock Intelligent Series Rack   | BW908A |
| HP 636 1075mm Pallet Intelligent Series Rack  | BW895A |
| HP 636 1075mm Shock Intelligent Series Rack   | BW896A |
| HP 842 1075mm Pallet Intelligent Series Rack  | BW917A |
| HP 842 1075mm Shock Intelligent Series Rack   | BW918A |
| <b>NOTE:</b> Please see the HP Intelligent Series Racks QuickSpecs for information on |        |
| additional racks options and rack specifications.                                     |        |
| HP Value Series Rack  |        |
| HP V142 1075mm deep Pallet 100 series Rack  | AF046A |
| <b>NOTE:</b> Please see the HP Value Series Rack QuickSpecs for information on        |        |
| additional racks options and rack specifications.                                     |        |

(PDUs)

## HP Power HP Basic Power Distribution Unit (bPDU)

| III I OWEI         | iir basic rowei bisti bation onit (brbb)   |            |
|--------------------|--|------------|
| Distribution Units | HP 1.9kVA 120 Volt L5-20 Input (12xNEMA 5-20R) NA/JP Basic PDU                         | H5M54A     |
| (PDUs)             | HP 2.8kVA 120 Volt L5-30 Input (18xNEMA 5-20R) NA/JP Basic PDU                         | H5M55A     |
|                    | HP 3.6kVA 200-240 Volt Detachable C20 Input ( 12xC13) WW Basic PDU                     | H5M56A     |
|                    | HP 3.6kVA 200-240 Volt Detachable C20 Input (18xC13) WW Basic PDU                      | H5M57A     |
|                    | HP 4.9kVA 208 Volt L6-30 Input (20xC13) NA/JP Basic PDU                                | H5M58A     |
|                    | HP 8.6kVA 208 Volt L15-30 3-Phase Input (18xC13) NA/JP Basic PDU                       | H5M61A     |
|                    | HP 4.9kVA 208 Volt L6-30 Input (24xC13/6xC19) NA/JP Basic PDU                          | H5M59A     |
|                    | HP 8.3kVA 208 Volt CS8265C Input (30xC13/6xC19) NA/JP Basic PDU                        | H5M60A     |
|                    | HP Hardwired 200-240 Volt Input (30xC13/6xC19) WW Basic PDU                            | H5M75A     |
|                    | HP 5.7kVA 208 Volt L21-20 3-Phase Input (24xC13/3xNEMA 5-20R) NA/JP Basic PDU          | H5M63A     |
|                    | HP 8.6kVA 208 Volt L21-30 3-Phase Input (24xC13/3xC19/3xNEMA 5-20R) NA/JP<br>Basic PDU | H5M64A     |
|                    | HP 8.6kVA 208 Volt L15-30 3-Phase Input (24xC13/6xC19) NA/JP Basic PDU                 | H5M62A     |
|                    | HP 11kVA 400 Volt IEC309 30A 3-Phase Input (36xC13/6xC19) NA Basic PDU                 | H5M67A     |
|                    | HP 19.9kVA 480 Volt IEC309 30A 3-Phase Input (30 Outlet) NA Basic PDU                  | H3X08A     |
|                    | HP 800VA - 277V Input / 230V Output NA Rack Mount Transformer                          | H3X09A     |
|                    | HP 2.8kVA 24A Low Voltage NA/JP Modular Power Distribution Unit                        | 252663-D71 |
|                    | HP 4.9kVA 24A High Voltage NA/JP Core Modular Power Distribution Unit                  | 252663-D74 |
|                    | HP 8.3kVA 40A High Voltage NA/JP Core Modular Power Distribution Unit                  | 252663-D75 |
|                    | HP 8.6kVA 24A Three Phase NA/JP Modular Power Distribution Unit                        | AF512A     |
|                    | HP 14.4kVA 40A Three Phase NA/JP Modular Power Distribution Unit                       | AF519A     |
|                    | HP 17.3kVA 48A Three Phase NA/JP Modular Power Distribution Unit                       | AF511A     |
|                    | NOTE: To learn more about HP Basic Power Distribution Units (bPDU), please visit       |            |
|                    | the HP website at http://www.hp.com/go/pdu.  |            |
|                    | UP Manitared Pawer Distribution Units (mPDU)   |            |

| HP 2.8kVA 120 Volt L5-30 Input (12xNEMA 5-20R)NA/JP Monitored PDU     | D9N43A |
|---|--------|
| HP 3.6kVA 200-240 Volt Detachable C20 Input (12xC13) WW Monitored PDU | D9N46A |
| HP 4.9kVA 208 Volt L6-30 Input (12xC13) NA/JP Monitored PDU           | D9N44A |
| HP 3.6kVA 200-240 Volt Detachable C20 Input (16xC13) WW Monitored PDU | D9N45A |
| HP 4.9kVA 208 Volt L6-30 Input (12xC13) NA/JP Monitored PDU           | G9Z05A |
| HP 4.9kVA 208 Volt L6-30 Input (20xC13/4xC19) NA/JP Monitored PDU     | D9N47A |



| HP 8.6kVA 208 Volt L15-30 3-Phase Input (18xC13/3xC19) NA/JP Monitored PDU HP 5.7kVA 208 Volt L21-20 3-Phase Input (18xC13/3xNEMA 5-20R) NA/JP Monitored PDU   | D9N51A<br>D9N52A           |
|--|----------------------------|
| HP 8.6kVA 208 Volt L21-30 3-Phase Input (20xC13/3xC19/3xNEMA 5-20R) NA/JP<br>Monitored PDU   | D9N53A                     |
| HP 8.3kVA 208 Volt CS8265C Input (30xC13/3xC19) NA Monitored PDU HP 14.4kVA 208 Volt CS8365C 3-Phase Input (12xC13/12xC19)NA Monitored PDU HP 16.6kVA 400 Volt IEC309 30A 3-Phase Input (30xC13/3xC19) NA Monitored PDU  | D9N49A<br>D9N58A<br>D9N61A |
| HP 16.6kVA 400 Volt IEC309 30A 3-Phase Input (12xC13/12xC19) NA Monitored PDU  | D9N62A                     |
| HP 17.3kVA 208 Volt IEC309 60A 3-Phase Input (24xC13/3xC19) NA/JP Monitored PDU  | D9N54A                     |
| HP 17.3kVA 208 Volt IEC309 60A 3-Phase Input (12xC13/12xC19) NA/JP<br>Monitored PDU  | D9N59A                     |
| HP 17.3kVA 208 Volt IEC309 60A 3-Phase Watertight Input (12xC13/12xC19) NA/JP Monitored PDU  | G9Z07A                     |
| HP 19.9kVA 480 Volt 3-Phase (30 Outlet) NA Monitored PDU HP Environmental Sensor for Remote Monitored and Managed PDUs NOTE: Please see the HP Monitored Power Distribution Units QuickSpecs for information on additional options and product specifications. | D9N63A<br>E2D53A           |
| HP Intelligent Power Distribution Units (iPDU)  HP 4.9kVA 24A Single Phase NA/JP Core Intelligent Modular Power Distribution   | AF520A                     |
| Unit   | AFSZUA                     |
| HP 8.3kVA 40A Single Phase NA/JP Core Intelligent Modular Power Distribution Unit  | AF521A                     |
| HP 8.6kVA 24A Three Phase NA/JP Core Intelligent Modular Power Distribution Unit   | AF522A                     |
| HP 17.3kVA 48A Three Phase NA/JP Core Intelligent Modular Power Distribution Unit  | AF523A                     |
| HP 11.4kVA 16A 415V Three Phase L22-20 NA Core Intelligent Power Distribution Unit   | AF900A                     |
| HP 17.3kVA 24A 415V Three Phase IEC309 NA Core Intelligent Power Distribution Unit   | AF901A                     |
| HP 17.3kVA 48A 208V Three Phase 12 Outlet Core NA/JP Intelligent Power Distribution Unit   | AF535A                     |
| HP 17.3kVA 24A 415V Three Phase 12 Outlet Core NA/JP Intelligent Power Distribution Unit   | AF537A                     |
| HP 4.9kVA 24A Single Phase NA/JP Intelligent Modular Power Distribution Kit  | AF531A                     |
| HP 8.6kVA 24A Three Phase NA/JP Intelligent Modular Power Distribution Kit HP 14.4kVA 40A Three Phase NA/JP Intelligent Modular Power Distribution Unit  | AF532A<br>AF533A           |
| HP 5xC13 Intelligent PDU Extension Bar G2 Kit  | AF547A                     |
| HP 5xC13 Outlets Power and UID LEDs Pair Standard Extension Bar  | AF528A                     |
| NOTE: Please see the HP Intelligent Power Distribution Units QuickSpecs for  | AI 320A                    |
| information on additional options and product specifications.  |                            |
| HP Managed Power Distribution Units (maPDU)  |                            |
| HP 2.8kVA 120 Volt L5-30 Input (24x NEMA 5-20) NA/JP Managed PDU   | H8B48A                     |
| HP 3.6kVA 200-240 Volt Detachable C20 Input (7xC13/1xC19) WW Managed PDU   | H8B49A                     |
| HP 4.9kVA 208 Volt L6-30 Input (20xC13/4xC19) NA/JP Managed PDU  | H8B50A                     |
| HP 8.6kVA 208 Volt L15-30 3 Phase Input (18xC13/6xC19) NA/JP Managed PDU   | H8B52A                     |
| HP 8.6kVA 208 Volt L21-30 3 Phase Input (20xC13/3xC19/1x NEMA 5-20) NA/JP<br>Managed PDU   | H8B53A                     |



**HP Rack Mount** 

Consoles, KVM

Switches, and

**Power Systems** 

Module

(UPS)

Keyboards

HP 14.4kVA 208V CS8365C 3 Phase Input (12xC13/12xC19) NA/JP Managed PDU H8B55A HP 17.3kVA 208V IEC309 60A 3 Phase Input (12xC13/12xC19) NA/JP Managed H8B56A PDU NOTE: Please see the HP Managed Power Distribution Units (maPDU) for information on additional options and product specifications. NOTE: To learn more, please visit the HP Uninterruptible Power Systems (UPS) web page. **HP Location Discovery Services HP Location Discovery Services LCD8500 Kit** TL052A NOTE: Please see the HP Location Discovery Services QuickSpecs for information on additional options and product specifications. **HP Rack Mount Consoles** HP LCD8500 1U US Rackmount Console Kit AF630A HP LCD8500 1U US TAA Rackmount Console Kit AF645A **HP KVM Switches** HP 0x2x16 G3 KVM Console Switch AF652A HP TAA 0x2x16 G3 KVM Console Switch AF653A HP USB Remote Access Key for G3 KVM Console Switches AF650A **HP KVM Console USB Interface Adapter** AF628A HP 0x2x16 KVM Server Console Switch G2 with Virtual Media CAC Software AF618A HP 0x2x32 KVM Server Console Switch G2 with Virtual Media CAC Software AF619A HP KVM Console USB 2.0 Virtual Media CAC Interface Adapter AF629A HP 1x4 USB/PS2 KVM Console Switch AF611A HP 1x1Ex8 KVM IP Console Switch G2 with Virtual Media CAC Software AF620A HP 2x1Ex16 KVM IP Console Switch G2 with Virtual Media CAC Software AF621A HP 4x1Ex32 KVM IP Console Switch G2 with Virtual Media CAC Software AF622A **NOTE:** To learn more, please visit the HP KVM Switches web page. **HP USB Keyboard and Mouse** HP USB BFR with PVC Free US Keyboard/Mouse Kit 631341-B21 HP 1U US Rackmount Keyboard with USB AG072A **NOTE:** Please see the HP USB Keyboard and Mouse QuickSpecs for information on additional options and product specifications. **Rail Kits** HP 2U Small Form Factor Easy Install Rail Kit 733660-B21 NOTE: This applies for both LFF & SFF models and it does not include cable management arm. HP 2U Cable Management Arm for Easy Install Rail Kit 733664-B21 **HP Other Options HP Rack LED Light Kit** BW939A HP Kit LCD 1.83m Latch Display Port Cable G7T29A HP Uninterruptible HP DirectFlow Three Phase UPS Power Unit (1U UPS) HP R12000 DirectFlow - 1U Rackmount Uninterruptible Power System G9Y75A HP R12000 DirectFlow - POD 1U Rackmount Uninterruptible Power System AF478A Input/Output Module Options for 1U UPS HP 30A 400-415 Volt Three Phase NA R10000 DirectFlow UPS IEC309 AF489A Input/Output Module HP 30A 480 Volt Three Phase NA R12000 DirectFlow UPS L22-30 Input/Output AF491A



| HP 30A 480 Volt Three Phase NA R12000 DirectFlow UPS IEC309 Input/Output  | AF492A   |
|---|----------|
| Module  |          |
| HP 30A 400-415 Volt Three Phase NA R12000 DirectFlow UPS IEC309 Input/Output Module                                   | G9Y76A   |
| Power Unit (2U UPS)   |          |
| HP R18000 DirectFlow - 2U Rackmount Uninterruptible Power System  | AF479A   |
| Input/Output Module Options for 2U UPS  |          |
| HP 30A 480 Volt Three Phase NA R18000 DirectFlow UPS IEC309 Input/Output  | AF486A   |
| Module  |          |
| HP 30A 480 Volt Three Phase NA R18000 DirectFlow UPS IEC309 Input/Output  | AF487A   |
| Module  HD 204 400 Volt Three Phase NA P19000 DirectFlow UPS IEC200 Input (Output                                     | D9Q02A   |
| HP 30A 400 Volt Three Phase NA R18000 DirectFlow UPS IEC309 Input/Output Module                                       | D9Q02A   |
| HP 30A 400-415V Three Phase NA R18000 DirectFlow UPS 1:1 IEC309   | AF484A   |
| Input/Output Module   |          |
| <b>NOTE:</b> All Input/Output Modules support dual output outlets except the AF484A.                                  |          |
| Battery Pack Options  |          |
| HP DirectFlow UPS - 1U Rackmount Lithium-ion Battery Pack   | AF480A   |
| HP DirectFlow UPS - 3U Rackmount VRLA Battery Pack  | AF482A   |
| HP WW DirectFlow Secondary Battery Cable  NOTE: Please see the HP DirectFlow Three Phase Uninterruptible Power System | AF497A   |
| QuickSpecs for information on additional options and product specifications.  |          |
| HP Tower UPS  |          |
| HP T750 G4 UPS Models   |          |
| HP T750 G4 NA/JP Uninterruptible Power System   | J2P85A   |
| HP T1000 G4 UPS Models  |          |
| HP T1000 G4 NA/JP Uninterruptible Power System  | J2P86A   |
| HP T1500 G4 UPS Models  |          |
| HP T1500 G4 NA/JP Uninterruptible Power System  | J2P87A   |
| HP Rack/Tower UPS   |          |
| HP R/T2200 G4 UPS Models  | IDDOOA   |
| HP R/T2200 G4 NA/JP Uninterruptible Power System  HP R/T3000 G4 UPS Models  | J2R00A   |
| HP R/T3000 G4 Low Voltage NA/JP Uninterruptible Power System  | J2R01A   |
| HP R/T3000 G4 High Voltage NA/JP Uninterruptible Power System   | J2R02A   |
| R1500 G4 Models   | 32110271 |
| HP R1500 G4 NA Uninterruptible Power System   | J2Q99A   |
| R7000 Uninterruptible Power System (UPS)  |          |
| HP R7000 4U 50A High Voltage NA/JP Uninterruptible Power System   | AF462A   |
| R5000 Uninterruptible Power System (UPS)  |          |
| HP R5000 3U L630 High Voltage NA/JP Uninterruptible Power System  | AF460A   |
| HP UPS Options  |          |
| HP R/T2200 G4 Extended Runtime Module   | J2R09A   |
| HP R/T3000 G4 Extended Runtime Module   | J2R10A   |
| HP 2U Rack/Tower UPS Shipping Kit   | L4Q11A   |
| <b>NOTE:</b> To learn more, please visit the HP Uninterruptible Power Systems (UPS) web page.                         |          |
| web page.   |          |

HP USB and SD Options

## **HP Flash Media Kits for USB Drives**

HP 32GB microSD Enterprise Mainstream Flash Media Kit

700139-B21




|              | HP 8GB microSD Enterprise Mainstream Flash Media Kit  | 726116-B21 |
|--------------|---|------------|
|              | HP Dual 8GB microSD Enterprise Midline USB Kit  | 741279-B21 |
| HP Care Pack | Foundation Care   |            |
| Services     | HP 3 year 24x7 DL180 Gen9 Foundation Care Service   | U7AT3E     |
|              | HP 3 year 24x7 with Defective Media Retention DL180 Gen9 Foundation Care Service                  | U7AT4E     |
|              | HP 3 year 24x7 with Comprehensive Defective Material Retention DL180 Gen9 Foundation Care Service | U7AT5E     |
|              | Proactive Care  |            |
|              | HP 3 year 24x7 DL180 Gen9 Proactive Care Service  | U7AT6E     |
|              | HP 3 year 24x7 with Defective Media Retention DL180 Gen9 Proactive Care Service                   | U7AT7E     |
|              | HP 3 year 24x7 with Comprehensive Defective Material Retention DL180 Gen9 Proactive Care Service  | U7AT8E     |
|              | Installation & Start-up Services  |            |
|              | HP Installation ProLiant DL180/DL380e Service   | U6E81E     |
|              | HP Startup ProLiant DL180/DL380e Service  | U6E83E     |

Memory

Architecture

Memory Subsystem Each Intel® Xeon® E5-2600v3 family processor socket contains four memory channels per installed processor with two DIMMs per channel for a total of eight (8) DIMMs or a grand total of sixteen (16) DIMMs for the server.

## **Memory Population** guidelines



## **General Memory Population Rules and Guidelines:**

- Install DIMMs only if the corresponding processor is installed.
- If only one processor is installed in a two processor system, only half of the DIMM slots are available.
- To maximize performance, it is recommended to balance the total memory capacity between all installed processors and load the channels similarly whenever possible.
- When two processors are installed, balance the DIMMs across the two processors.
- White DIMM slots denote the first slot to be populated in a channel.
- Place the DIMMs with the highest number of ranks in the white slot when mixing DIMMs of different ranks on the same channel.
- Do not mix RDIMMs or LRDIMMs.
- Quad rank RDIMMs are not supported in HP ProLiant DL180 Gen9 servers.
- Quad rank LRDIMMs are capable of up to two DIMMs per channel.
- DIMMs of different speeds may be mixed in any order; the server will select a common optimal speed.
- The maximum memory speed is a function of the memory type, memory configuration, and processor model.
- The maximum memory capacity is a function of the memory type and number of installed processors.
- To realize the performance memory capabilities listed in this document, HP SmartMemory is required.

## Intel Gen9 Supported Memory Bandwidth for HP ProLiant Gen9 Intel® Xeon®E5-2600v3 Series Processor Family

## Memory Bandwidth and Capacity

| [DIMM Type]   | Registered DIMMs (RDIMMs) Load Re<br>(LRDI |      |  |      |      |              |      |
|---------------|--|------|--|------|------|--------------|------|
| DIMM Rank     | Single                                     | Rank |  | Dual |      | Quad<br>Rank |      |
| DIMM Capacity | 4GB  | 8GB  |  | 16GB | 32GB | 16GB         | 32GB |

Memory

| DIMM Native Speed<br>(MT/s) | 2133             |     |     |     |     |     |
|-----------------------------|------------------|-----|-----|-----|-----|-----|
| Voltage                     | Std Voltage 1.2V |     |     |     |     |     |
| SLOTS THAT CAN BE POPULATED |                  |     |     |     |     |     |
| 16 slot servers             | 16               |     |     |     |     |     |
| MAXIMUM<br>CAPACITY (GB)    |                  |     |     |     |     |     |
|                             | 64               | 128 | 256 | 512 | 256 | 512 |
| 1 DIMM Per<br>Channel       | 2133             |     |     |     |     |     |
| 2 DIMM Per<br>Channel       | 2133             |     |     |     |     |     |
| 3 DIMM Per<br>Channel       | 1600 1866        |     |     |     |     |     |

# DIMM slot and configuration diagram

# DIMM slot and configuration diagrams Basic memory slot & population diagram

- Population order; start with "A" first, "B" second, "C" third, etc.
- When one processor is installed, install DIMMs in sequential alphabetic order: A, B, C, D, E, F ...
- When two processors are installed, install DIMMs in sequential alphabetic order: CPU1-A, CPU2-A,CPU1-B,CPU2-B,CPU1-C, CP2-C

CPU #1 IS PROCESSOR ON RIGHT - LOOKING FROM FRONT OF SERVER

|        | CPU 1  |                                     | CPU 2     |                              |   |  |
|--------|--------|-------------------------------------|-----------|------------------------------|---|--|
|        | Slot#  | population order                    | Slot # po | opulation order              | - |  |
| Chnl 3 | 1      | С                                   | 1         | C                            |   |  |
|        | 2      | G                                   | 2         | G                            |   |  |
|        | CPU 1  |                                     | CPU 2     |                              |   |  |
|        | Slot # | population order                    | Slot # po | opulation order              |   |  |
| Chnl 4 | 3      | D                                   | 3         | D                            |   |  |
|        | 4      | Н                                   | 4         | Н                            |   |  |
|        | CPU 1  |                                     | CPU 2     |                              |   |  |
|        |        | CPU 1                               |           | CPU 2                        |   |  |
|        | Slot # | CPU 1<br>population order           | Slot # po | CPU 2 opulation order        |   |  |
| Chnl 2 | Slot # |                                     | Slot # po |                              |   |  |
|        |        |                                     |           |                              |   |  |
|        | 5      | population order<br>F               | 5         | ppulation order              |   |  |
| Chnl 2 | 5<br>6 | population order<br>F<br>B          | 5<br>6    | ppulation order  F B         |   |  |
| Chnl 2 | 5<br>6 | population order<br>F<br>B<br>CPU 1 | 5<br>6    | Population order  F B  CPU 2 |   |  |

Memory

## Memory Speed by Processor Model

| Processor Models  | Supported Memory Speeds |
|---|-------------------------|
| E5-2609v3, E5-2603v3,                                   | 1600MHz                 |
| E5-2640v3, E5-2630v3, E5-2630Lv3, E5-2620v3, E5-2623v3, | 1866MHz                 |
| E5-2660v3, E5-2650v3, E5-2650Lv3,                       | 2133MHz                 |


Standard and Maximum Memory Capacity (Preconfigured Models)

| Pre-Configured Models | Standard Memory | Optional Memory         | Standard Memory<br>Replaced with Optional<br>Memory |
|-----------------------|-----------------|-------------------------|---|
| E5-2603v3, E5-2609v3, | 8GB (1x8GB)     | 488GB (15x32GB, 1x8GB)  | 512GB (16x32GB)                                     |
| E5-2623v3,            | 16GB (2x8GB)    | 464GB (14x32GB, 2x8GB)  | 512GB (16x32GB)                                     |
| E5-2630v3,            | 32GB (2x16GB)   | 480GB (14x32GB, 2x16GB) | 512GB (16x32GB)                                     |

## DDR4 memory options part number decoder


**NOTE:** Capacity references are rounded to the common gigabyte (GB) values.

- 2GB = 2,048MB
- 4GB = 4,096MB
- 8GB = 8,192MB
- 16GB = 16,384MB
- 32GB = 32,768MB
- 64GB = 65,536MB




Storage

4-bay LFF non-hot-plug drive model



4 x LFF SATA Non-Hot Pluggable Hard Drive Bays

8-bay LFF hot-plug drive model




8 x LFF SATA/SAS/SDD Hot Pluggable Hard Drive Bays

12-bay LFF hot-plug drive model




12 x LFF SATA/SAS/SDD Hot Pluggable Hard Drive **Bays** 

8-bay SFF hot-plug drive model



8 x SFF SATA/SAS/SDD Hot Pluggable Hard drive bays

16-bay SFF hot-plug drive model



16 x SFF SATA/SAS/SDD Hot Pluggable Hard drive bays

1-8

1-12

1-16

## Technical Specifications

**System Unit** 

**Dimensions** SFF Drives: 3.44 x 17.54 x 23.9 in (8.75 x 44.55 x 60.7cm) (with bezel) LFF Drives: 3.44 x 17.54 x 23.9 in (8.75 x 44.55 x 60.7 cm)

Maximum:

Weight 47/6 lb (21.59 kg) (approximate) (all hard drives:

> front + rear. full power supply, and processor

installed)

Minimum: 36.58 lb (16.59 kg)

(one SFF hard drive, single power supply, and processor installed. HDD not

installed)

Input Rated Line 100 to 240 VAC

Requirements Voltage

> Rated Input For 550W Power Supply: Current 6.7 A (at 100 VAC)

> > 3.3 A (at 200 VAC)

Rated Input 47 to 63 Hz

Frequency

Rated Input Power For 550 W Power Supply:

< 670 W (at 100 VAC), < 660 W (at 200 VAC),

**BTU Rating** Maximum For 550 W Power Supply:

> 2201 BTU/hr (at 100 VAC). 2153 BTU/hr (at 200 VAC)

**Power Specifications**  To review typical system power ratings use the Power Advisor which is available via the online tool located at URL: http://www.hp.com/go/proliant-energy-efficient or http://www.hp.com/go/hppoweradvisor - Click on the system of interest. Example:

DL180 Gen9- Follow the instructions of the next screens.

**Power Supply** Output

Rated Steady-For 550 W Power Supply: State Power 550 W (at 100 VAC).

550 W (at 200 VAC),

Maximum Peak For 550 W Power Supply: Power 550 W (at 100 VAC).

550 W (at 200 VAC).

**System Inlet Temperature**  Standard

10° to 35°C (50° to 95°F) at sea level with an altitude derating of Operating Support 1.0°C per every 305 m (1.8°F per every 1000 ft) above sea level

> to a maximum of 3050 m (10,000 ft), no direct sustained sunlight. Maximum rate of change is 20°C/hr (36°F/hr). The upper limit and rate of change may be limited by the type and number of options installed. System performance during standard operating support may be reduced if operating with a

fan fault or above 30°C (86°F).

Extended Ambient For approved hardware configurations, the supported system Operating Support inlet range is extended to be: 5° to 10°C (41° to 50°F) and 35° to

40°C (95° to 104°F) at sea level with an altitude derating of 1.0°C per every 175 m (1.8°F per every 574 ft) above 900 m (2953 ft) to a maximum of 3050 m (10,000 ft). The approved hardware configurations for this system are listed at the URL:

## **Technical Specifications**

Humidity

### http://www.hp.com/servers/ashrae

For approved hardware configurations, the supported system inlet range is extended to be: 40° to 45°C (104° to 113°F) at sea level with an altitude derating of 1.0°C per every 125 m (1.8°F per every 410 ft) above 900 m (2953 ft) to a maximum of 3050 m (10,000 ft). The approved hardware configurations for this system are listed at the URL:

http://www.hp.com/servers/ashrae

System performance may be reduced if operating in the extended ambient operating range or with a fan fault.

**NOTE:** Supports A3 and A4 extended ambience.

Non-operating -30° to 60°C (-22° to 140°F). Maximum rate of change is 20°C/hr

(36°F/hr).

**Relative** Operating Minimum to be the higher (more moisture) of -12°C (10.4°F)

dew point or 8% relative humidity. Maximum to be the lower (less moisture) of 24°C (75.2°F) dew point or 90% relative

humidity.

(non-condensing) Non-operating 5% to 95% relative humidity (Rh), 38.7°C (101.7°F) maximum

wet bulb temperature, non-condensing.

Altitude Operating 3048 m (10,000 ft). This value may be limited by the type and

number of options installed. Maximum allowable altitude

change rate is 457 m/min (1500 ft/min).

Non-operating 9144 m (30,000 ft). Maximum allowable altitude change rate is

457 m/min (1500 ft/min).

**Acoustic Noise** Listed are the declared A-Weighted sound power levels (LWAd) and declared

average bystander position A-Weighted sound pressure levels (LpAm) when the product is operating in a 23°C ambient environment. Noise emissions were measured in accordance with ISO 7779 (ECMA 74) and declared in accordance with

ISO 9296 (ECMA 109).

Idle

L WAd Entry: 5.4 B

Base: 5.5 B Storage: 6.3 B Energy Star: 5.5 B

L pAm Entry: 39 dBA

Base: 39 dBA Storage: 46 dBA Energy Star: 38 dBA

**Operating** 

L WAd Entry: 5.5 B

Base: 5.6 B Storage: 6.3 B Energy Star: 5.5 B

L pAm Entry: 40 dBA

Base: 40 dBA Storage: 46 dBA Energy Star: 38 dBA

**NOTE:** The listed sound levels apply to standard shipping configurations. Additional

options may result in increased sound levels.

## **Technical Specifications**

**Emissions** Classification (EMC)

FCC Rating Class A

Normative CISPR 22; EN55022; EN55024; FCC CFR 47, Pt 15; ICES-003; Standards CNS14336-1; CNS13438; GB4943; GB9254; EN 61000-3-2; EN

61000-3-3; EN 60950-1; IEC 60950-1

**NOTE:** Product conformance to cited product specifications is based on sample (type) testing, evaluation, or assessment. This product or family of products is

eligible to bear the appropriate compliance logos and statements.

**NOTE:** The listed sound levels apply to standard shipping configurations. Additional

options may result in increased sound levels.

**HP Dynamic Smart** Arrav B140i Controller

Number of PCI links

Four

**PCI link rate** 

4 Gb/s

**Number of** 

Storage protocol SATA

support

SAS/SATA peak

6 Gb/s

data transfer

rate

10 links

SAS/SATA links

2x4 connectors; 2x1 connectors

SAS/SATA connectivity

**Expander support** No

**Drives supported** Up to 10 Internal Drives

(max)

**RAID** support

0, 1, 10, 5 SATA

Software

HP SSA, SMH, SIM

management

Warranty **HP Secure**  Server warranty Not Supported

Encryption

license

**HP SmartCache** 

Not Supported

License

**HP Smart Storage** Supported

Administrator

**HP Embedded Dual Network** Port 361i Adapter

Interface

10Base-T/100Base-TX/1000Base-TX

Compatibility

IEEE 802.3 10Base-T

IEEE 802.3ab 1000Base-T IEEE 802.3u 100Base-TX IEEE 1588, IEEE 802.1AS

IEEE 802.3az - Energy Efficient Ethernet (EEE)

**Data Transfer** 

Method

PCI Express v 2.0, 5.0 GT/s, two lanes (x2)

Controller Intel 1350 Powerville

Network Transfer 10Base-T (Half-

Rate Duplex) 10 Mb/s per port, 40 Mb/s combined

10Base-T (Full-

Duplex) 20 Mb/s per port, 80 Mb/s combined



## **Technical Specifications**

100Base-TX (Half-

Duplex) 100 Mb/s per port, 400 Mb/s combined

100Base-TX (Full-

Duplex) 200 Mb/s per port, 800 Mb/s combined

1000Base-TX (Half

and Full-Duplex) 1000Mb/s per port, 4000 Mb/s combined

**Connector** Two RJ-45

**Cable Support** 10 Base-T Categories 3, 4 or 5 UTP; up to 328 ft (100 m)

10/100/1000 Base-TX Category 5 or higher UTP; up to 328 ft (100 m)

Environmentfriendly Products and Approach End-of-life Management and Recycling Hewlett-Packard offers end-of-life HP product return, trade-in, and recycling programs in many geographic areas. For trade-in information, please go to: <a href="http://www.hp.com/go/green">http://www.hp.com/go/green</a>. To recycle your product, please go to: <a href="http://www.hp.com/go/green">http://www.hp.com/go/green</a> or contact your nearest HP sales office. Products returned to HP will be recycled, recovered or disposed of in a responsible manner.

The EU WEEE directive (2002/95/EC) requires manufacturers to provide treatment information for each product type for use by treatment facilities. This information (product disassembly instructions) is posted on the Hewlett Packard web site at: <a href="http://www.hp.com/go/green">http://www.hp.com/go/green</a>. These instructions may be used by recyclers and other WEEE treatment facilities as well as HP 0EM customers who integrate and re-sell HP equipment.

## Summary of Changes

| Date        | Version History     | Action  | Description of Change  |
|-------------|---------------------|---------|--|
| 28-Sep-2015 | From Version 8 to 9 | Added   | Added new 6Gb SATA Solid State Drives.   |
|             |                     |         | Added new HP OneView management software.  |
|             |                     | Removed | Obsolete SKUs were removed from the QuickSpecs.  |
| 17-Aug-2015 | From Version 7 to 8 | Added   | New Solid State Drives offering was added to Core Options.   |
|             |                     | Changed | Maximum Internal Storage was revised.  |
|             |                     | Removed | Obsolete SKUs were removed from the QuickSpecs.  |
| 1-Jun-2015  | From Version 6 to 7 | Added   | New Hard Drives offering.  |
|             |                     |         | New HP OneView licenses added to HP Converged Infrastructure Management Software.  |
|             |                     |         | New RDX+ external backup options were added.   |
|             |                     | Changed | Maximum Internal Storage was revised.  |
|             |                     |         | Core options and Additional Options were revised.  |
|             |                     | Removed | Obsolete SKUs were removed from the QuickSpecs.  |
| 30-Mar-2015 | From Version 5 to 6 | Added   | New Hard Drives offering.  |
|             |                     |         | Optional Software added to HP Storage Controllers.   |
|             |                     | Changed | HP Memory, HP Power Supplies, HP Storage<br>Controllers, and HP Disk Storage Systems were<br>revised.  |
| 9-Feb-2015  | From Version 4 to 5 | Added   | Added Network controller, new HP Drives, and new G4 UPS models.  |
|             |                     | Changed | HP Drives, HP Computation and Graphics Accelerators, HP Tape Backup, HP Disk Backup, HP Rack Mount Consoles, KVM Switches, and Keyboards, HP Uninterruptible Power Systems (UPS), HP Networking, and HP Power Distribution Units (PDUs) sections were revised. |
| 1-Dec-2014  | From Version 3 to 4 | Changed | Changes made throughout the entire QuickSpecs.   |
| 13-0ct-2014 | From Version 2 to 3 | Added   | 6G SATA Enterprise Value G1 Solid State Drives were added to Core Option section. HP PCIe Workload Accelerator Options, HP USB and SD options were added to the Additional Options section.  |
|             |                     | Changed | Standard Features, Optional Features,<br>Configuration Information - Factory Integrated<br>Models, and Memory sections were revised.<br>Warranty was revised in Standard Features section.   |
| 19-Sep-2014 | From Version 1 to 2 | Changed | Changes made throughout the entire QuickSpecs.   |



## **Summary of Changes**

© Copyright 2015 Hewlett-Packard Development Company, L.P.

The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Intel® and Xeon® are registered trademarks of Intel Corporation in the U.S. and other countries.

Microsoft®, Windows®, and Windows Server® are U.S. registered trademarks of the Microsoft group of companies.

For hard drives, 1GB = 1 billion bytes. Actual formatted capacity is less